

Product Catalogue

MEDICAL BANDAGES AND SUPPORTS









## Medpack Swiss Group



Medpack Swiss Group is a group of companies with the headquarters in Switzerland, own factories in Eastern Europe and distribution subsidiaries over the world.

Medpack Swiss Group provides Manufacture and Global Distribution of the wide range of medical products.


Medpack Swiss Group is responsible for global sales and marketing, technology, product development and innovations and provides on time first class services to the customers. The professional team is offering long-term experience in the lifestyle and medical industries.

All companies, the members of the **Medpack Swiss Group**, are engaged in the distribution of medical supplies and health care products since 1999. In 2005 the solid positions in the worldwide distribution of the medical devices for home use, bandage products and contraceptives were achieved.

That is why the companies took the decision to open their own manufacture of the products of the mentioned categories. As a result of the successful productive and distributive activities all the companies were officially united under the mutual brand - Medpack Swiss Group, in 2010.



Unterlettenstrasse 14, 9443 Widnau, **SWITZERLAND** 



## Global Distribution

medpack-group.com



Headquarters: Switzerland

Distribution subsidiaries:

• Latvia

Moldova

• Greece Kazakhstan • Romania

Bulgaria

Serbia

Ukraine

#### Distribution:

 Algeria Armenia

Australia

Azerbaijan

 Bahrain • Belarus

Botswana

 Croatia Egypt • Estonia

 Georgia Germany

 Hungary Iran

Iraq Israel

• Jordan Kuwait

Kyrgyzstan

• Lebanon

Lesotho

Libya • Lithuania Mauritius

Morocco

 Namibia • Oman Poland

Qatar Saudi Arabia

 South Africa • Sri Lanka

Turkmenistan

UAE Uzbekistan

Zimbabwe

Swaziland



## About The Factory

medpack

SWISS GROUP

Swiss commercial and industrial corporation MedPack Swiss Group has several own factories which manufacture high quality medical goods. One of them is MedTex Swiss Bulgaria factory, located in EU. This modern orthopedic support and bandage production factory pay special attention to the quality of its goods which are oriented for sale in Europe, Africa, Middle East, Asia and other markets.

The factory specialize in manufacturing medical goods for support, rehabilitation and daily use comfort, including: cervical collars; posture correctors and reclinators; sacro lumbar corsets; post-surgical and abdominal binders; hernia supports; maternity belts; upper and lower extremities supports; elastic bandages and a lot more. These goods are produced under swiss brands MedTextile® and Dr.Frei®.

MedTextile`s brand portfolio has both in-demand supports and supports with special purposes and prescriptions. This current line of goods is constantly tested, improved and based on the recommendations of practitioner physicians. The most recent studies performed by leading experts in the fields of orthopedics, traumatology, gynecology, physical therapy and rehabilitation are the foundation of production.

New line of medical supports and elastic bandages Dr.Frei® is an optimally coordinated range of orthopedic goods which are intended to be sold in pharmacies and even supermarkets.

MedTex Swiss Bulgaria factory are equipped with innovative automatic knitting machinery from the well-known Swiss company JACOB MULLER A.G. – a source of pride for any garment manufacturer in the world. Uncompromising quality is the primary goal at the production, thus all of the departments outfitted with the latest technology from the world's most highly-regarded equipment firms.

Production machinery is operated on by experienced personnel, trained at the MULLER center in Frick, Switzerland.

High production capacity drives from factory's wide range of special and universal machines. Due to modern equipment the factory have its own high quality elastic and belt ribbon, lacing and different edging materials.

## About Quality Control / Certification

Cyclical turnaround is integrated into the process flowsheet, including all stages from drafting and raw materials manufacturing to the output of the finished products.

MedTex Swiss Bulgaria factory has implemented the Quality Management System in accordance with international standard protocols ISO 9001 and ISO 13485 that is validated with DQS, IQNet and TCL annual audit control and the appropriate certificates.

Production quality is inspected at every stage of the manufacturing process and goes through three-level control: an inspection test, a walkthrough and the final stage, when 100% finished products are compared with the benchmark samples. Goods are directed to the pack area only when their high quality has been guaranteed.

All raw materials used in production are safe and environmentally friendly and have corresponding certificates.

Every year the factory as part of the MedPack Swiss Group participates in major and local exhibition shows in Europe, Asia, Africa and have the appropriate diplomas.

The main advantages of the MedTex Swiss Bulgaria factory are: good location, high European standards of quality, wide selection of its own products and the ability to produce qualitative medical goods for other privat labels and trade marks.

Due to manifacture's modern high-tech equipment, up-to-date materials and advanced technology - the high quality of goods is consistently guaranteed.

Production's comprehensive approach to process management, strict three-stage quality control, attractive packaging and competitive prices allow MedPack Swiss Group to compete with leading companies in the medical orthopedic equipment field.

ISO 9001:2008 ISO 13485:2012 + AC:2012

























Firm, elastic, breathable binding band ensures

Aeroprene or breathable neoprene, has unique ability to keep body warmth without hamper to

Normoflex, triple breathable fabric with soften-

ing and warming properties.

maximal comfort during use.

skin breathing.




## medtex SWISS BULGARIA


# Materials Catalogue

SWISS GROUP

medpack



BINDING BAND



AEROPRENE



NORMOFLEX



NATURAL WOOL



Provides a good heat, humidity controls, and performs micromassage warming effect, which leads to improved microcirculation and normalize blood circulation.

## Material convention / Packaging



COTTON THREAD

medpack-group.com



PERFORATED NEOPRENE



POLYESTER / POLYETHER



NEOPRENE



LATEX THREAD



SIMULATED STEEL RIBS



KAPRON / POLYAMIDE / NYLON



SIMULATED METALLIC RIBS



FOAMED POLYURETHANE



PLASTIC INSERTS



VISCOSE / NET FABRIK



SPIRAL STIFFENERS



LEATHER-CLOTH



MONOCENTRIC HINGE (1 AXLE)





**ERGONOMIC SHAPE FOAM PADS** 



POLICENTRIC HINGE (2 AXLES)





## Packaging



## Retail Equipment









## **Cervical Collars**

medpack

SWISS GROUP



#### SOFT FIXATION CERVICAL COLLAR

Cervical vertebra and soft tissue neck injuries, accidental or abrupt movement of head or neck, at postoperative stage

- Supports cervical vertebra in correct position
- Provides warming effect and soft massage
- Foam provides softness and comfort during usage
- Velcro closure for easy and tight adjustment





Dimensions		Sizes	Max	Colour		
Dimensions	1	II	III	deviation	Coloui	
Neck height, cm	7,5	9	11	± 1,0 cm		
Neck circumference, cm		28-49	± 1,0 cm	beige		



#### SOFT FIXATION CERVICAL COLLAR WITH RIGID PANEL

Cervical vertebra and soft tissue neck injuries, accidental or abrupt movement of head or neck, at postoperative stage

- Rigid panel provides additional immobilization of neck and can be removed to gradually increasing range of motions
- Supports cervical spine in correct position
- Provides warming effect and soft massage
- Foam guarantees softness and comfort during usage
- Velcro closure for easy and tight adjustment

)-	0000000	-	
ther-Cloth	Foamed Polyurethane	Viscose / Net Fabrik	



Dimensions		Sizes	Max	Colour	
Dillielizioliz	1	II	III	deviation	Coloui
Neck height, cm	7,5	9	11	± 1,0 cm	
Neck circumference, cm		28-49		± 1,0 cm	beige

## **Cervical Collars**

medpack-group.com



#### RIGID CERVICAL COLLAR

Fractures, disclocations, incomplete dislocations of cervical vertebrae; early-stage rehabilitation after surgery on the cervical spine and injuries of cervical vertebrae; evacuation by transportation when cervical spine injuries are suspected; cervical radiculopathy; moderate and severe cervical spine instability complicated by neurological manifestations; osteochondropathies, cervical abnormalities, changes in the structure of vertebrae of different nature; status after surgery on cervical structures not requiring continuous monitoring of the post-operative field; rehabilitation treatment after cranialspinal and cranial-cerebral injuries.

- Design of the product allows to wear the bandage without additional traumatization of the neck even in the lying position of your body
- The bandage is made of light-weight nontoxic hypo-allergenic and hygienic material
- The bandage is put on easily allowing to fix the neck quickly
- The material does not prevent the radiological methods of examination
- Ease of use allows taking a bath or shower without removing the product



Dimensions		Sizes	Max	Colour	
Dilliensions	lensions	II	III	deviation	Coloui
Neck circumference, cm	25-30	31-38	39-46	± 1,0 cm	beige



#### CERVICAL COLLAR WITH TRACHEA OPENING

Indications for use:

Fractures, disclocations, incomplete dislocations of cervical vertebrae; early-stage rehabilitation after surgery on the cervical spine and injuries of cervical vertebrae; evacuation by transportation when cervical spine injuries are suspected; cervical radiculopathy; moderate and severe cervical spine instability complicated by neurological manifestations; osteochondropathies, cervical abnormalities, changes in the structure of vertebrae of different nature; status after surgery on cervical structures requiring continuous monitoring of the post-operative field; tracheostomes; rehabilitation treatment after cranial-spinal and cranial-cerebral injuries.

- Design of the product allows to wear the bandage without additional traumatization of the neck even in the lying position of your body
- The bandage is made of light-weight nontoxic hypo-allergenic and hygienic material Opening in the area of trachea allows carrying out the medicinal and diagnostic manipulations on the front surface of the neck without removing the bandage
- The material does not prevent the radiological methods of examination
- Ease of use allows taking a bath or shower without removing the product



Dimensions		Sizes		Max	Colour
Dilliensions	1	II	III	deviation	Coloui
Neck circumference, cm	25-30	31-38	39-46	± 1,0 cm	beige



## Cervical Collars / Posture Supports



medpack

SWISS GROUP

#### RIGID ADJUSTABLE COLLAR

Indications for use:

Stable fractures of cervical vertebrae; early-stage and medium-stage rehabilitation after surgery on the cervical spine and injuries of cervical vertebrae; evacuation by transportation when cervical spine injuries are suspected; cervical radiculopathy; moderate and severe cervical spine instability complicated by neurological manifestations; osteochondropathies, cervical abnormalities, changes in the structure of vertebrae of different nature; rehabilitation treatment after cranial-spinal and cranial-cerebral injuries; maintenance of correct position of the cervical spine after manual therapy.

- The bandage is made of light-weight nontoxic hypo-allergenic and hygienic materia;
- The material does not prevent the radiological methods of examination
- Ease of use allows taking a bath or shower without removing the product



Dimensions		Sizes	Max	Colour		
Dillielizioliz	1	II	III	deviation	Colour	
Neck circumference, cm	34-40	40-46	46-53	± 1,0 cm	beige white	



## CHILD RECLINATOR (POSTURE SUPPORT)

Indications for use:

The reclinator forms proper posture, reduces pain in upper area of spine caused by scoliosis, kyphosis, kyphoscoliosis, arthritis, prevents deformations of spine, forms habit to hold the back straight.

- Corrects poor posture and prevents slouch
- Additional removable metal stiffeners help to align spine and provide proper posture
- Wide straps smoothly distribute pressure onto shoulders
- Elastic straps are comfortably placed around body

Dimensions		Sizes	Max	Colour	
Dillielisions	S	М	L	deviation	Colour
Chest circumference, cm	42-50	51-60	61-68	± 1,0 cm	heige

## Posture Supports



#### POSTURE BRACE ELASTIC WITH STAYS

ndications for use:

Posture brace with steel stays corrects poor posture, reduces pain at the thoracic and lumbar spine caused by kyphosis, scoliosis, osteoporosis or arthritis and prevents vertebral deformity. Can be used at the rehabilitation stage after surgery and thoracic injuries. Elastic straps prevent slouching. Metal stays improve posture and provide extra support to the spine.

- Two metal stays help to straighten spine and provide proper posture. The stiffeners can be simulated, if it necessary, depending on the degree of fixation.
- Wide brace straps smoothly distribute pressure among shoulders
- Elastic straps are comfortably placed around body, holding the brace in the correct position.





Dimensions			Max	Colour			
Dimensions	S	М	L	XL	XXL	deviation	Colour
Chest circumference on the scapulas level, cm	64– 76	77- 89	90- 102	103- 116	117- 130	± 1,0 cm	beige



## POSTURE BRACE ELASTIC (LIGHT FIXATION)

Indications for use

Prevention and treatment of postural disorders, including stoop, and thoracic spine curvatures (kyphosis, stage I of scoliosis). Late rehabilitation after thoracic spine traumas. Early stages of thoracic spine degenerative disk disease. Juvenile kyphosis (Scheuermann–Mau's disease) with pain syndrome; -spondylopathies. To enhance effects of massage and/or manual therapy for back pain.

- Easy putting on and usage are combined with high therapeutic effectiveness;
- Timing of wearing can reach up to 8-10 hours per day;
- Adjustable for every customer;
- Longitudinal stretching properties of straps ensure low risk of elastic bands twisting and longterm service;
- Can be worn unnoticed under the clothes.



Din	noncione		Si	zes	Max	Colour
Dill	Dimensions	2	XS/S	M/L	deviation	Coloui
C. 100 C C.	rcumference or pulas level, cm	E	66–83	84-101	± 1,0 cm	beige

2



## Posture Supports

medpack

SWISS GROUP



### POSTURE BRACE WITH STAYS (HARD FIXATION)

Indications for use:

Thoracic spine curvatures (kyphosis, stage I-II of scoliosis). Osteochondropathies, Calve`s and Scheuermann–Mau's disease. Prevention of slumping shoulders for those who have sedentary jobs. Rehabilitation after thoracic and lumbar spine traumas. To enhance effects of massage and/or manual therapy. Prevention of pathological fractures in cases of osteoporosis, tumors and tuberculosis.

- The peculiar feature of reinforced posture corrector design is elastic strap which additionally
  provides balanced muscle tone of the body holding muscles. The strap allows fixing additionally
  and unloading the lumbar spine in case of disorders and pain in the back
- Posture corrector is manufactured from hypoallergenic materials

Simulated Metallic Ribs Binding Band	Normoflex	
--------------------------------------	-----------	--

Dimensions				Max	Colour	
Dillielisiolis	XS/S	M/L	XL/XXL	XXXL/XXXXL	deviation	Coloui
Waist circumference, cm	50-70	71-90	91-110	111-120	± 1,0 cm	
Stature, cm		l (158-1)	73);    (1	74-188)	± 1,0 cm	beige



#### **ELASTIC RECLINATOR LIGHT FIXATION**

Indications for use

Spinal curvatures, (kyphosis, scoliosis), winged scapula. The posture support prevents slouch development, forms habit to hold the back straight, helps to avoid different diseases concerned with poor posture (respiratory, cardiovascular, digestive and other disorders). Ensures girdle of superior extremity opening and vertebral bodies relief with preservation of normal muscle tone.

- Corrects poor posture and prevent slouching
- An efficient mean for correction of poor posture and shoulder slouch
- Has adjustable fixation level from soft to hard
- Flexible belts comfortably embrace the body



Dimensions	Sizes Max				Colour
Dillielizioliz	S/M	L/XL	XXL	deviation	Colour
Chest circumference on the scapulas level, cm	64-89	90-116	117-130	± 1,0 cm	beige

## Posture Supports

medpack-group.com



#### CLAVICULAR RECLINATOR INTENSIVE FIXATION


Indications for use

The reclinator forms proper posture, reduces pain in upper area of spine, prevents slouch. Triangular shape of the reclinator softly distributes pressure to the shoulders. Furnished with Velcro fastener for fixation.

- The efficient mean for correction of poor posture and shoulder slouch
- Can be used during treatment of the clavicle break in period of bone callosity formation.
- Fixes clavicles in correct position for quick recovery Has adjustable fixation level from soft to hard
- Wide straps smoothly distribute pressure among shoulders



Dimensions			Max	Colour			
	S	М	L	XL	XXL	deviation	Colour
Chest circumference on the scapulas level, cm	64– 76	77- 89	90- 102	103- 116	117- 130	± 1,0 cm	beige



#### POSTURE BRACE WITH STAYS

Indications for use:

Posture brace helps to limit volume of motions in lumbar and pectoral area of spine, ensures correct posture forming, abates pain in upper and lower spine parts. Prevents slouch and restores phisiologically correct position of shoulder girdle.

- Is recommended to use during back pains caused by radiculitis, osteochondrosis, slipped and protruded disks, spinal curvatures, traumas
- Two removable metallic stiffeners provide reliable support to pectoral and lumbar areas of spine
- Wide straps smoothly distribute pressure onto shoulders
- Additional straps ensure required level of loins compression
- Breathable light fabrics of the bandage ensures maximal comfort during use
- Is recommended to get on the support while you are lying on the back



Dimensions		Sizes		Max	Colour
Dimensions	S/M	L/XL	XXL	deviation	Coloui
Chest circumference on the scapulas level, cm	64-89	90-116	117-130	± 1,0 cm	beige

15



# **Rib Belts**



medpack

SWISS GROUP


### RIB BELT (MEN)

Myalgia, myositis and intercostal neuralgia. Midterm and late rehabilitation after rib fractures. Rehabilitation after thoracic traumas and surgeries.

- The bandage is manufactured from two types of fabric; one of them with minimal flexibility in the front side effectively limits chest wall mechanics and the second one from highly elastic fabric in the back ensures comfortable fixation on the body
- It is fixed with Velcro fastener and shoulder straps preventing slipping down
- The bandage is imperceptible under the clothes









#### RIB BELT (WOMEN)

Myalgia, myositis and intercostal neuralgia. Midterm and late rehabilitation after rib fractures. Rehabilitation after thoracic traumas and surgeries.

- The bandage is manufactured from two types of fabric; one of them with minimal flexibility in the front side effectively limits chest wall mechanics and the second one from highly elastic fabric in the back ensures comfortable fixation on the body
- It is fixed with Velcro fastener and shoulder straps preventing slipping down
- The bandage is imperceptible under the clothes

	Dimensions	Siz	Max			
	Dillienzionz	XS/M	L/XXL	deviation		
Binding Band	Normoflex		Chest circumference on the	66-92	93-119	± 1,0 cm

## Sacrolumbal Supports



#### THORACIC-LUMBAR SUPPORT

The support helps to limit motions in lumbar and thoracic part of the spine, ensures correct forming of carriage, abates pain in the upper and lower parts of spine. Prevents slouch. Additional removable metal plates help to fix and plane spine, ensure right posture and reliable support in pectoral and

- Is recommended to use during spinal pains caused by radiculitis, osteochondrosis, disks hernias, disk displacements, spinal curvatures
- Wide straps smoothly distribute pressure onto shoulders
- Additional belts ensure necessary level of loin compression
- Breathable light fabric of the support ensures maximal comfort during use
- Is recommended to get on the support while you are lying on the back



	Dimensions		Si		Max		
		XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
	Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige



## **ELASTIC SACROLUMBAL MEDICAL SUPPORT** (WITH 4 STAYS)

Osteochondrosis, radiculitis, slipped and protruded disks, traumas, chronic pains in sacrolumbal area of spine. Due to 4 stiffeners it provides reliable support to lumbar area, relaxation of spine muscles and improves the blood circulation.

- 4 removable steel stiffeners provide reliable support and fixation at the sacrolumbal area of spine
- Additional elastic belts are comfortably placed around waist and provide required compression
- Removable pad for backward curvature for the best fit
- Sacrolumbal support shapes body contours and is invisible under clothes
- Is recommended to get on the support while you are lying on the back

Dimensions				!	Sizes				Max	Colour
Dimensions	XS							XXXXL		
Waist circum-	50-	61-	71-	81-	91-	101-	111-	121-	±10cm	
ference cm	60	70	80	90	100	110	120	130	± 1,0 CIII	heige

Colour



## Sacrolumbal Supports

SWISS GROUP

medpack



## SACRO LUMBAR SUPPORT (WITH RENAL PADS)

Indications for use:

Nephroptosis, visceroptosis caused by familial or acquired reasons (the latter include consequences of injuries, operations, weight loss, abdominal and pelvic muscles weakening). Congenital or acquired fixation disorders of intra-abdominal viscera and retroperitoneal structures (including floating kidney).

- Unilateral and bilateral support of kidneys and intra-abdominal viscera
- Velcro fastener ensures regulation of pressure force on the back and anterior abdominal wall
- Additional tie-bar stabilizes the bandages position even at active motion



		Siz	zes		Max	
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	black



## SACRO LUMBAR SUPPORT FACILITATED (20CM)

Indications for use:

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions) and herniated disks (early stages), radiculopathies, lumbago, traumas and chronic pains in the lumbosacral spine. Late rehabilitation after traumatic lumbosacral spine injuries and operations in this area.

- Breathable light brace material (net fabric) ensures maximum comfort
- Two built-in stays unload the bony structures of the spine and lower back muscles
- Two additional elastic straps allow individualized fixation

	Dimensions		Sizes	Max		
		S/M	L/XL	XXL/ XXXL	deviation	Colour
	Waist circumference, cm	60-83	84-109	110-135	± 1,0 cm	beige

## Sacrolumbal Supports



## SACRO LUMBAR SUPPORT FACILITATED (25CM)

Indications for use

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions more than 10 mm) or early stages of several herniated disks (Th10-L5), radiculopathies, lumbago, sciatica, traumas, chronic pains in lumbosacral spine. To provide orthopedic regimen during midterm and late rehabilitation after lumbar spine injuries. Recovery after lumbosacral spine surgeries.

- Breathable light brace material (net fabric) ensures maximum comfort
- Bour built-in stays unload the spine and lower back muscles
- Two additional elastic straps allow individualized fixation



		Sizes		Max		
Dimensions	S/M	L/XL	XXL/ XXXL	deviation	Colour	
Waist circumference, cm	60-83	84-109	110-135	± 1,0 cm	beige	




#### ORTHOPEDIC SUPPORT (HEATING, WITH STAYS)

Indications for use:

The support is used for curing of osteochondrosis, radiculitis, displacements and hernias of vertebral dicks, traumas, chronic pain in lumbosacral part of spine, can be used after delivery and surgery of abdominal wall. Due to stiffeners the support provides reliable backing of the waist, relaxation of back muscles, and normalization of blood circulation.

- Plastic stiffeners ensure additional support in lumbosacral area of spine
- Pain decreasing and prevention of loins traumas
- Has heating and micro massage action
- Support of the abdomen muscles after postsurgical and postdelivery period
- Preventing of postsurgical sutures disruption and postsurgical hernia rise.



Dimensions		Siz	Max			
	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige black



## Sacrolumbal Supports

SWISS GROUP

medpack



# ELASTIC SACROLUMBAL MEDICAL SUPPORT WITH 6 STAYS (24CM)

Indications for use:

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions more than 10 mm) or early stages of several herniated disks (Th10–L5), radiculopathies, lumbago, sciatica, traumas, chronic pains in the lumbosacral spine. To provide orthopedic regimen during midterm and late rehabilitation after lumbar spine injuries. Recovery after lumbosacral spine surgeries.

- Breathable light brace material (net fabric) ensures maximum comfort
- Six built-in stays unload the spine and lower back muscles
- Two doubled additional elastic straps allow individualized fixation

# astic Inserts Binding Band

Dimensions		Si	zes		Max	
	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist	50-70	71-90	91-110	111-130	± 1,0 cm	heige



# ELASTIC SACROLUMBAL MEDICAL SUPPORT WITH 6 STAYS (32CM)

Indications for use

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions more than 10 mm) or early stages of several herniated disks (Th10-L5), radiculopathies, lumbago, sciatica, traumas, chronic pains in the lumbosacral spine. To provide orthopedic regimen during midterm and late rehabilitation after lumbar spine injuries. Recovery after lumbosacral spine surgeries.

- Breathable light brace material (net fabric) ensures maximum comfort
- Six built-in stays unload the spine and lower back muscles
- Two additional elastic straps allow individualized fixation

Plastic Inserts	£	
Binding Band		_

Dimensions		Si	zes		Max	
	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige

## Sacrolumbal Supports

medpack-group.com



## ANTI-RADICULITIS SUPPORT (HEATING)

Indications for use:

The corset is used to fix and unload lumbar spine and to make a simultaneous warming effect at chronic pains in lumbosacral spine, radiculitis, rheumatism, neuritis and other diseases of the lumbar spine. The corset features a warming and supporting effect. It contains sheep natural wool that ensures perfect therapeutic effect.

- Diseases of support-motor system (radiculitis, ostechondrotis, lumbosacral radiculitis).
- Diseases of urogenital system (urolithiasis, nephritis, prostatitis, inflammation of uterine appendages).



		Si	Max			
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige



## BACK SUPPORT (FOR WEIGHT LIFTING)


Indications for use

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions) and herniated disks (early stages), radiculopathies, lumbago, chronic pains in the lumbosacral spine. Late rehabilitation after traumatic lumbosacral spine injuries and operations in this area. Ideal for manual labour that entails unusual lumbar stress (weight lifting etc).

- Breathable light brace material (net fabric) ensures maximum comfort
- Side elastic straps allow individualized fixation
- Detachable length-adjustable garters ensure additional fixation of the brace and slight reclination effect
- The brace is enhanced with six built-in stays
- A brace is prevented fro<mark>m twistin</mark>g by its built-in stays on bending over and sitting
- Two additional elastic st<mark>raps allow</mark> individualized fixation



Dimensions			Max	Colour			
Dillienzionz	S	М	L			deviation	
Waist circumference, cm	60- 70	71- 83	84- 96	97- 109	110- 122	± 1,0 cm	black





## Sacrolumbal Supports

SWISS GROUP

medpack



## MEDICAL BINDER PREVENTIVE (WITH 3 STAYS)

Indications for use:

Osteochondrosis, radiculitis, slipped and protruded disks, traumas, chronic pains in sacrolumbal spine. Due to 3 stiffeners it provides reliable support of lumbar area, relaxation of spine muscles and improves the blood circulation. The binder can be used in postsurgical and post-delivery period. Support holds abdominal muscles, provides reasonable compression of abdominal wall and prevents disruption of suture lines. Is recommended to get on the support lying on the back directly on underwear.

- 3 removable steel stiffeners provide reliable support and fixation at the sacrolumbal area of spine
- Pain reduction and preventive care for loins traumas
- Supports abdominal muscles at post-surgery and post-natal stage
- Prevents suture line disruption and postoperative abdominal hernia rise



Dimensions					Sizes				Max	Colour
						XXL			deviation	
Waist circum- ference, cm	50- 60	61- 70	71- 80	81- 90	91- 100	101- 110	111- 120	121- 130	± 1,0 cm	beige



#### MEDICAL BINDER PREVENTIVE ELASTIC

Indications for use:

Binder helps to restore tonus at post surgical and post natal stage, prevents suture line disruption. It holds abdominal muscles, provides moderate compression and reduces pendulous abdomen. Is recommended to get on the support lying on the back directly on underwear.

- Can be used to support abdominal muscles at post surgical and post natal stage
- Prevents suture line disruption and postoperative abdominal hernia rise
- Forms body contours and is invisible under clothes
- Breathable light fabrics of the bandage ensures maximal comfort during use

Binding Band	
--------------	--

Dimensions		Sizes							Max	Colour
	XS					XXL			deviation	001041
Waist circum-	50-	61-	71-	81-	91-	101-	111-	121-	±10cm	
ference, cm	60	70	80	90	100	110	120	130	± 1,0 till	beige

## Sacrolumbal Supports / Maternity Supports



#### ORTHOPEDIC SUPPORT HEATING

Indications for use:

For compression and soft fixation of waist. Decreases pain due to heating and micro massage action. Can be used for weight loss, decreasing of abdominal fatty tissue thickness during sports and exercises. For fixation the bandage is furnished with Velcro fastener and original kink coating.

- Has heating and micro massage action
- Ensures compression and soft fixation of waist
- Breathable neoprene (aeroprene) has an unique property to hold body warmth without blocking skin breathing
- Well models body outlines



		S	izes	Max			
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour	
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige black	



## MATERNITY BELT (PRE- AND POSTNATAL)

Indications for use

Prenatal bandage is specifically designed for expectant mothers to support the abdomen and pelvic organs in physiological rest position, favoring the normal position of the fetus. It helps alleviate discomfort and lower back pain due to pregnancy, unloading the lumbar spine. Wearing this bandage reduces the risk of excessive uterine activity, decreases stretching of the skin and amount of abdominal striae. The bandage is particularly helpful in cases of multiple gestation and polyhydramnios. Women with a history of previous spine traumas or disorders will also benefit while wearing the bandage.

- Reduces pains at lower back and hips
- Prevents stretch marks on the abdomen
- Helps to maintain correct posture and active lifestyle during pregnancy period
- Is invisible under clothing



Dimensions			Sizes			Max	Colour
Dimensions	XS	S	М	L	XL	deviation	Coloui
Hip circumference,	80-	89-	98-	107-	116-	± 1,0 cm	
cm	88	97	106	115	124	± ±,0 CIII	beige



## **Maternity Supports**

medpack

SWISS GROUP



#### MATERNITY BACK SUPPORT FACILITATED

Maternity bandage is specifically designed for expectant mothers to support the abdomen and pelvic organs in physiological rest position, favoring the normal position of the fetus. It helps alleviate discomfort and lower back pain due to pregnancy, unloading the lumbar spine. Wearing this bandage reduces the risk of excessive uterine activity, decreases stretching forcers in the skin and amount of abdominal striae.

- Breathable light brace material (net fabric) ensures maximum comfort
- The bandage is enhanced with two in-built stays in the lower back to reduce muscle tension
- The bandage is enhanced with fastener and two elastic straps which allow individualized

Plastic Inserts Binding Band	e
------------------------------	---

Dimensions			Siz	Max	Colour			
Dimensions	XS	S		L			deviation	Coloui
Hip	80-	89-	98-	107-	116-	125-	± 1,0 cm	
circumference, cm	88	97	106	115	124	134	± 1,0 CIII	beige



#### MATERNITY SUPPORT ELASTIC

Indications for use:

Support is used during pregnancy to reduce pains in lumbar area of spine and hips. Provides soft support of abdomen and secures the best conditions for correct fetus position. Due to 2 removable rigid plates it efficiently relieves stress in the lower back and supports the abdomen during pregnancy. The support can be used after delivery for restoring of abdominal muscles tone. Breathable elastic fabrics provides comfort during use.

- Reduces pains at lower back and hips
- Prevents stretch marks on the abdomen
- Helps to maintain correct posture and active lifestyle during pregnancy period
- Is invisible under clothing

Plastic Inserts Binding Band	e e
------------------------------	-----

Dimensions			Si	Max	Colour			
Dillielizioliz	S	М	L	XL	XXL	XXXL	deviation	Coloui
Hip circumference, cm						135- 144	± 1,0 cm	beige

## Maternity Supports / Abdominal Supports



medpack-group.com

#### MATERNITY BACK SUPPORT FACILITATED WITH 4 STAYS

Indications for use:

Maternity bandage is specifically designed for expectant mothers to support the abdomen and pelvic organs in physiological rest position, favoring the normal position of the fetus. It helps alleviate discomfort and lower back pain due to pregnancy, unloading the lumbar spine. Wearing this bandage reduces the risk of excessive uterine activity, decreases stretching forcers in the skin and amount of abdominal striae. The bandage is particularly helpful in cases of multiple gestation and polyhydramnios. Women with a history of previous spine traumas or disorders before pregnancy will also benefit while wearing the bandage.

- Breathable light brace material (net fabric) ensures maximum comfort
- The bandage is enhanced with four in-built stays in the lower back to reduce muscle tension
- The bandage is enhanced with fastener and two elastic straps which allow individualized support



Dimensions		Sizes	Max	Colour		
Dillielizioliz	XS/S	M/L	XL/XXL	deviation	Colour	
Hip circumference, cm	80-97	98-115	116-134	± 1,0 cm	beige	



#### ABDOMINAL BINDER ADJUSTABLE

Indications for use:

Early mobilization after operations on abdomen, including caesarean section. Prevention of ventral postoperative hernias (muscle weakness, large incisions etc). To prevent incarceration of postoperative reducible hernia. Prevention of epigastrocele. Prevention of umbilical hernia. Postpartum abdominal support after normal labor. Splanchnoptosis or nephroptosis (as a supporting bandage). Stages Ill-IV of obesity (for abdomen lifting and silhouette improvement for aesthetic purpose). Rehabilitation after anterior abdominal wall liposuction. After plastic surgeries.

- Simulates body contours well and is imperceptible under the clothes
- Breathable light bandage material provides maximum comfort
- Design of the bandage front flap allows segmental pressure distribution on the anterior abdominal wall



		Sizes	Max		
Dimensions	S/M	L/XL	XXL/ XXXL	deviation	Colour
Waist circumference, cm	60-80	80-100	100-120	± 1,0 cm	beige





## **Abdominal Supports**

SWISS GROUP

medpack



#### UNIVERSAL SUPPORT

Indications for use

Can be used as postsurgical and postnatal support. For its fixation the bandage is furnished with Velcro fastener and original kink coating.

Is recommended to get on the support lying on the back. Can be used as heating back support. In this case you need to put it on with fastener directed to the back.

- The dense front wall provides reliable abdomen support at post surgery and post natal stage
- Serves to form strong post-surgical cicatrix and prevents postoperative abdominal hernia rise
- Breathable light fabrics of the bandage ensures maximal comfort during use

Plastic Inserts Binding Band Normoflex	>
--	---

		Si	Max			
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige



#### ABDOMINAL BINDER

Indications for use


Early mobilization after operations on abdomen, including caesarean section. Prevention of ventral postoperative hernias (muscle weakness, large incisions etc). To prevent incarceration of postoperative reducible hernia. Prevention of epigastrocele. Prevention of umbilical hernia. Postpartum abdominal support after normal labor. Splanchnoptosis, nephroptosis (as a supporting bandage). Stages III-IV of obesity (for abdomen lifting and silhouette improvement for aesthetic purpose). Rehabilitation after anterior abdominal wall liposuction. After plastic surgeries.

- Simulates body contours well and is imperceptible under the clothes
- Breathable light bandage material provides maximum comfort

Plastic Inserts	
Binding Band	

Dimensions		Sizes	Max	Colour	
Dimensions	S	М	L	deviation	Coloui
Waist circumference, cm	60-80	81-100	101-120	± 1,0 cm	beige

## Thigh Supports



# THIGH SUPPORT (TROUSERS) WARMING ELONGATE


Indications for use:

The shorts are used for external fixation and dosing muscle compression in the hips and buttocks region; the shorts improve blood circulation, stimulate metabolic processes in the underlying tissues, skin and subcutaneous adipose tissue of thigh and abdomen. Prevention and treatment of cellulite and dilated subcutaneous capillaries. The shorts can be used as a part of multimodality weight loss treatment to reduce the thickness of subcutaneous adipose tissue of thigh, buttocks and abdomen.

- Neoprene keeps warmth providing warming effect and micro-massage
  - Creates local "sauna effect"
- During sports activities shorts stimulate intensive muscle exercising due to elasticity and resistance of their material
- Outlines excellently the body shape



Dimensions		S	izes		Max	Colour
Dillielisiolis	S	М	L	XL	deviation	
Hip circumference, cm	89-97	98-106	107-115	116-124	± 1,0 cm	black/blue



#### THIGH SUPPORT (TROUSERS) WARMING

Indications for use:

The shorts are used for external fixation and dosing muscle compression in the hips and buttocks region; the shorts improve blood circulation, stimulate metabolic processes in the underlying tissues, skin and subcutaneous adipose tissue of thigh and abdomen. Prevention and treatment of cellulite and dilated subcutaneous capillaries. The shorts can be used as a part of multimodality weight loss treatment to reduce the thickness of subcutaneous adipose tissue of thigh, buttocks and abdomen.

- Neoprene keeps warmth providing warming effect and micro-massage
- Creates local "sauna effect"
- During sports activities shorts stimulate intensive muscle exercising due to elasticity and resistance of their material
- Outlines excellently the body shape



Dimensions		S	izes		Max	Colour
Dimensions	S	М	L	XL	deviation	Colour
Hip circumference, cm	89-97	98-106	107-115	116-124	± 1,0 cm	black/blue

 $\epsilon$ 



## Hernia Supports

medpack

SWISS GROUP



#### HERNIA BANDAGE DOUBLE-SIDED

Preventive care to eliminate hernia complications and hernia recurrence at post surgical stage for hernia relapse prevention. Trusses can be used to stop further hernia increase while weight lifting. The bandage is equipped with removable pelot (insert); It can be installed in left-sided or right-sided position depending on localization of hernia. The truss is made of flexible belt and has an additional strap, which lets adjust the pressure level of the pelot (insert) onto hernia area. Is recommended to get on lying on the back, onto reduced hernia only.

- Preventive care to eliminate inguinal and femoral hernia complications
- Provides targeted compression onto affected area
- Efficient prevention of hernia relapse in postsurgical period
- Flexible straps for adjustable compression











Dimensions		Sizes	Max	Colour	
Dillielisions	XS/S	M/L	XL/XXL	deviation	Coloui
Hip circumference, cm	78-95	96-116	117-134	± 1,0 cm	beige



#### HERNIA BANDAGE UNIFIED

Indications for use:

Preventive care to eliminate hernia complications and hernia recurrence at post surgical stage for hernia relapse prevention. Trusses can be used to prevention of hernia increase while weight lifting. The bandage is equipped with two removable pelots (inserts). They can be installed in left-sided or right-sided position depending on localization of hernia. The truss is made of flexible belt and has an additional strap, which lets adjust the pressure level of the pelot (insert) onto hernia area. Is recommended to get on lying on the back, on reduced hernia only

- Preventive care to eliminate inguinal and femoral hernia complications
- Provides targeted compression onto affected area
- The efficient prevention of hernia recurrence in postoperative period
- Flexible straps for adjustable compression
- Removable pelots (inserts) of unique anatomical shape hold hernia comfortably and safely













	Dimensions	
y	Hip circumference,	

Dimensions		Sizes		Max	Colour	
	XS/S	M/L	XL/XXL	deviation	Coloui	
Hip circumference, cm	80-97	98-115	116-134	± 1,0 cm	beige	


## Hernia Supports / Lower Extremity Supports



#### BANDAGE FOR UMBILICAL HERNIA

Preventive care to eliminate hernia complications and hernia recurrence at post surgical stage for hernia relapse prevention. Trusses can be used to prevention of hernia increase while weight lifting. The bandage is equipped with two removable pelots (inserts); They can be installed in left-sided or right-sided position depending on localization of hernia. The truss is made of flexible belt and has an additional strap, which lets adjust the pressure level of the pelot (insert) onto hernia area. Is recommended to get on lying on the back, on reduced hernia only.

- Provides targeted compression onto affected area
- Removable pad for reliable hernia support
- Additional stays to prevent twisting and sliding of the truss
- Breathable light fabrics of the bandage ensures maximal comfort during use




	Sizes				Max	
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige




## KNEE JOINT SUPPORT ELASTIC

Can be used in cases of knee joint traumas, sprain of ligaments, arthritis, arthrosis, during rehabilitation after plaster cast. Also used for prevention of common dislocations and traumas while physical


- Provides soft and reliable fixation and compression of knee joint
- Breathable fabric stretches in four directions for comfortable use
- Fits for left or right leg







## **Lower Extremity Supports**



medpack

SWISS GROUP

#### KNEE SUPPORT ADJUSTABLE

Indications for use:

Inflammatory and degenerative diseases of the knee joint (initial stages of arthritis, synovitis, periarticular edema, bursitis or arthrosis), if warming knee support is not contraindicated. Prevention of knee and/or knee cap trauma during participation in sports and physical activities. Chronic instability of the knee cap (recurrent subluxation). Injuries and ligamentous laxity of the knee joint in subacute phase or midterm and late rehabilitation after removing a plaster cast.

- Breathable neoprene (aeroprene) features unique property to keep warmth not interfering with skin functions (protection, thermoregulation etc)
- Separable design makes it easy to put the bandage onto the knee
- In case of the knee joint swelling or severe deformity the bandage is put easy onto it
- An aperture and elastic pad-ring restrict mobility of the knee cap
- Fits for left or right leg



Dimensions	Sizes S/L	Max deviation	Colour
Knee circumference, cm	34-46	± 1,0 cm	black



#### **KNEE SUPPORT FIXATIVE**

Indications for use

Inflammatory and degenerative diseases of the knee joint (initial stages of arthritis, synovitis, periarticular edema, bursitis or arthrosis), if warming knee support is not contraindicated. Prevention of knee and/or knee cap trauma during participation in sports and physical activities. Chronic instability of the knee cap (recurrent subluxation). Injuries and ligamentous laxity of the knee joint in subacute phase or midterm and late rehabilitation after removing a plaster cast.

- Separable design makes it easy to put the bandage onto the knee
- In case of the knee joint swelling and severe deformity the bandage is put easy onto it
- An aperture and elastic pad-ring restrict mobility of the knee cap
- Fits for left or right leg

	)()(	
Aeroprene	/ /	

Dimensions	Sizes S/XL	Max deviation	Colour
Knee circumference, cm	34–50	± 1,0 cm	black

## Lower Extremity Supports



medpack-group.com

### KNEE JOINT SUPPORT WITH PATELLA PAD

Indications for use:

The bandage provides moderate fixation with soft compression of the knee joint, reducing lateral static exercise while standing or high-impact walking. Pain syndrome is relieved by knee joint fixation and unloading action of the bandage. Both warm retention and micro-massage effect improve blood circulation in soft tissues. Compression effect relieves pain and reduces edema.

- Provides soft and reliable fixation and compression of knee joint
- Abates pain due to warming and micromassage action
- Split construction ensures easy wearing of support
- The support is furnished with Velcro closure for fixation Fixative belts ensure additional joint stabilization
- The aperture and resilient torus limit mobility and defend the patella
- Fits for left or right leg



Dimensions	Sizes XS/XL	Max deviation	Colour
Knee circumference, cm	28-45	± 1,0 cm	beige



## KNEE JOINT SPLIT SUPPORT

Indications for use:

Posture brace with steel stiffeners corrects poor posture, abates pain at the upper area of spine caused by kyphosis, scoliosis, osteoporosis or arthritis, prevents vertebral deformity.

Used at the rehabilitation stage after surgery and thoracic traumas. Elastic straps fix shoulders in correct position. Metal stiffeners improve posture and help to hold spine straight. Is recommended to wear the support directly on underwear.

- Provides soft and reliable fixation and compression of knee joint
- Abates pain and reduces edema due to warming and micromassage action
- Split construction ensures easy wearing of support
- Two stiffening ribs and fixative belts ensure additional joint stabilization
- The aperture and resilient torus limit mobility and defend the patella
- Fits for left or right leg



Dimensions		Sizes Max Colour			Colour
Dimensions	S/M	L/XL	XXL	deviation	Colour
Knee circumference, cm	28-39	40-51	52-57	± 1,0 cm	beige

30



## Lower Extremity Supports



medpack

SWISS GROUP

#### KNEE JOINT SUPPORT WITH STAYS

Provides soft fixation and compression of the knee-joint in cases of traumas, sprain of ligaments, joint pains caused by arthritis, sinusitis, and bursitis. The support provides reliable support of lateral ligaments and meniscus. Also can be used for habitual dislocation prevention and traumas prevention during sports exercises.

- Abates pain due to warming and micromassage action
- The aperture and resilient torus limit mobility and defend the patella
- Four stiffening ribs ensure additional joint stabilization
- Fits for left or right leg



Dimensions			Sizes			Max	Colour
Dillieli210112	S	М	L	XL	XXL	deviation	Colour
Knee circumference, cm	28-33	34-39	40-45	46-51	52-57	± 1,0 cm	beige



## **KNEE IMMOBILIZER WITH RIBS** AND INTENSIVE FIXATION (THE TUTOR)

The knee tutor provides rigid fixation of the joint with takeover of lower third of the hip and upper third of the shank, this excludes ability to move the knee. Is used at arthrosis, with arthritis presentations, including rheumatoid and podagric, prophylaxis of patalogic placing of the lower extremity during moderate valgus or varus shank angulation. Is used as a splint during transport immobilization, when present plaster allergy, traumas of capsular and ligamentous system of the knee-joint with different degree of difficulty, undisplaced fractures of shin-bone intercondylar eminence, moderate expressed instability of knee-joint, including paralytic origin.

- Can be used to ensure complete immobilization of the knee joint after traumas and surgeries
- Shorten time of plaster cast use, provides early beginning of rehabilitation period
- Three metallic stiffeners surely fix the knee-joint
- Belts with Velcro fasteners ensure tight abutment to the patient's leg
- Soft inner layer provides comfort during usage internal volume. Can be regulated
- Fits for both left or right leg



Dimensions		Sizes	Max	Colour	
Dimensions	S	M/L	XL/XXL	deviation	Colour
Product heigth, cm	40	50	60	± 1,0 cm	
Knee circumference, cm	28-45	34-57		± 1,0 cm	beige

## Lower Extremity Supports



medpack-group.com

## KNEE IMMOBILIZER WITH RIBS AND INTENSIVE FIXATION (THE TUTOR)

Immobilization of knee joint at the early stages of rehabilitation after traumas and operations on the joint, and also in the lower third of the hip and the upper third of the leg. Immobilization of knee joint in transportation. Apparent knee instability. Unfixed knee deformations (valgus and varus deviations, genu recurvation). Patella (rotula) traumas. Meniscus injuries.

- Side and back metallic splints provides immobilization of knee joint at an angle of 20°
- Split design makes the bandage putting on easier
- If it is necessary you can relieve joint fixation, taking out one or several stiffening ribs and use the bandage at the middle stages of rehabilitation
- Length of removable joint-immobilizer and amount of fixing straps can grow, depending on the product`s size
- Soft fabric of the cuffs is comfortable and it does not provoke any allergic reactions and skin irritations
- Fits for left or right leg



Dimensions		Sizes	Max	Colour	
Dillielizioliz	S	M/L	XL/XXL	deviation	Coloui
Product heigth, cm	35	45	55	± 1,0 cm	
Knee circumference, cm	28-45	34-57		± 1,0 cm	beige



#### POST-OPERATIVE KNEE SUPPORT (WITH HINGE)

Indications for use:

Knee joint injuries. Sprains and crucial ligaments of knee joint. Knee joint pains (patellafemoral pain syndrome). Inflammatory and degenerative diseases (arthritis, synovitis, periarticular edemas and arthtosis), if warm effect is not contraindicated. Chronic, postoperative and posttraumatic tenontitis. Patella diseases (chondromalacia patellae). Rehabilitation after knee joint traumas and operations. Knee joint traumas and inflammations prevention in event of physical activity. Patella (rotula) traumas prevention during sports activities and physical labour.

- Split design lightens orthosis putting on in event of joint edema and over band dressings
- It provides quick access to knee joint, allowing to bandage and to perform another medical pro-
- It is optimal for great difference of leg circumference above and below the knee
- It is comfortable for putting on for overweight people who have concomitant back pains
- Anatomic cutout of the orthosis ensures better fit and combination of axis of motion
- Fits for left or right leg



Dimensions	Siz	es	Max	Colour	
Dillielizioliz	S/M	L/XL	deviation	Colour	
Knee circumference, cm	34-42	43-50	± 1,0 cm	black	

## **Lower Extremity Supports**



medpack

SWISS GROUP

#### POST OPERATIVE KNEE BRACE (WITH HINGE)

Indications for use:

Fixation after postoperative treatment of knee joint diseases and traumas. Rupture of one or both cruciate ligaments. Apparent knee instability. Combined knee joint traumas. Valgus and varus deviations of knee joint. Genu recurvation. Knee joint contracture treatment. Extreme sport activities.

- Light firm aluminum frame fixes knee joint strongly
- Side pad-holders provide close connection of orthosis with medial and lateral condyles on the inner hinge surfaces
- 4 straps manufactured of synthetic nubuck with Velcro fasteners fix the orthosis firmly on knee joint
- 2 separate-adjusted hinges provide necessary range of motion in knee joint



Dimensions		Siz	zes	Max	Colour	
Dillielizioliz	S	М	L	XL	deviation	Coloui
Leg circumference 15 cm above knee, cm	34-38	39-47	48-56	57-67	± 1,0 cm	black



## POST OPERATIVE KNEE BRACE (WITH HINGE)

Indications for use

Stage-by-stage remedial treatment with gradual increasing of motion range in knee joint after traumas, injuries and recovery surgical operations. Knee joint fixation after meniscus injuries. Extremity fixation in event of knee joint collateral ligament injuries and ruptures. Chronic joint instability (insufficiency of ligamentous function). Rehabilitation after sport traumas.

- Joint immobilization at a certain angle
- Split design lightens orthosis putting on and off
- The hinge's design provides adjustment of flexion and extension angles
- Cuffs are manufactured of soft covering, nice to the touch
- Each hinge is available with soft textile pad for close fit to the joint and for comfortable wearing
- Fits for left or right leg



Dimensions	Sizes S/XL	Max deviation	Colour
Leg circumference in the upper thigh, cm	42-68	± 1,0 cm	beige

## Lower Extremity Supports



medpack-group.com

# LIGHTWEIGHT POST OPERATIVE KNEE BRACE (WITH HINGE)

Indications for use:

Stage-by-stage remedial treatment with gradual increasing of motion range in knee joint after traumas, injuries and recovery surgical operations. Knee joint fixation after meniscus injuries. Extremity fixation in event of knee joint collateral ligament injuries and ruptures. Chronic joint instability (insufficiency of ligamentous function). Rehabilitation after sport traumas.

- Pullout splints with hinges allow to put the orthosis on the leg from ankle to the area of inguinal fold across the inner leg surface; from the outside to the area of hip joint. Length of the splints can be adjustable within 52-72 cm with 2.5 cm step
- Fixing straps provide adjustment of fit degree of the orthosis to your skin and the degree of muscle compression
- The cuffs are made of biological inert material with soft covering, nice to the touch
- Each hinge is available with a soft textile pad which provides comfortable hinge fit to the skin;
- Any materials are neither allergic, nor skin-irritating
- The model has universal size
- Tight cuffs do not prevent normal functioning of your skin and improve moisture prevention that ensures high comfort while wearing
- Fits for left or right leg

Dimensions	Sizes S/L	Max deviation	Colour
Knee circumference, cm	42-62	± 1,0 cm	black



# Monocentric Hinge (1 Axle) Aeroprene

#### HINGED STABILIZING KNEE BRACE

ndications for use:

Pains in joint in event of traumas and diseases. Meniscus injuries. Both chronic and rheumatic arthrosis and arthritis. Lateral and cruciate ligament ruptures. Conservative treatment of joint contractures. Chronic joint instability (hypermobility in event of insufficiency of ligamentous function). Postoperative rehabilitation, including endoscopic ones, with gradual distension of motion range. Repeated sport traumas during rehabilitation period.

- It is optimal for great difference of leg circumference above and below the knee, for overweight people who have concomitant back pains
- Flexion angle adjustment allows to use the orthosis at all stages of treatment and rehabilitation, gradually increasing the range of motion
- Modern monocentric hinges, suitable for setting flexion and extension angles in the joint for effective application at all stages of treatment and rehabilitation
- Design of hinges provides setting flexion and extension angles with 10° step
- The hole above the patella bounds rotula ballottement and displacement
- Fits for left or right leg

Dimensions		S	izes		Max	Colour
Dillielisiolis	S	М	L	XL	deviation	Coloui
Knee circumference, cm	34-38	39-42	43-46	47-50	± 1,0 cm	black

4



## **Lower Extremity Supports**



medpack

SWISS GROUP

#### ANKLE SUPPORT WARMING

Indications for use

Provides delicate fixation and compression of the talocrural joint. Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Provides delicate fixation and compression to the ankle joint
- Is comfortable for everyday use
- Abates pain due to warming and micromassage action
- Four metallic stiffeners provide additional stabilization of the joint
- Fits for left or right leg



Dimensions		Siz	es		Max	Colour
Dillielisiolis	S	М	L	XL deviation	Coloui	
Shoe size	35–37	38-40	41-43	44-46	± 0,5	beige



### ANKLE SUPPORT ADJUSTABLE

Indications for use:

Pain affecting the ankle joint caused by trauma or injury and different ankle disorders. Limited range of motion caused by trauma or injury and ligamentous laxity of the ankle joint. Chronic traumatic and postoperative tendon inflammation. Late rehabilitation after ankle joint operation including region of the heel. Prevention of ankle ligamentous laxity and Inflammatory disorders at all levels of sport and physical activities.

- Breathable neoprene (aeroprene) features unique property to keep warmth not interfering with skin functions (protection, thermoregulation etc)
- Separable design makes it easy to put the bandage onto the ankle joint
- Velcro fasteners help to adjust strength of the joint fixation
- Fits for left or right leg

	).t
Aeroprene	

Dimensions	Sizes S/L	Max deviation	Colour
Ankle-joint circumference, cm	16-31	± 1,0 cm	black beige

## **Lower Extremity Supports**



## ANKLE SUPPORT ELASTIC (AEROPRENE)

Indications for use

Provides delicate fixation and compression of the talocrural joint. Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Provides delicate fixation and compression to the talocrural joint
- Anatomical shape with open heel is more comfortable for everyday use
- Abates pain due to warming and micromassage action
- Plastic latches ensure additional joint stabilization
- Fits for left or right leg



Dimensions		Siz	es		Max	Colour
Dillielisiolis	S	M	L	XL	deviation	Coloui
Ankle-joint circumference, cm	15-20	21-26	27-32	33-38	± 1,0 cm	beige





#### ANKLE SUPPORT WITH STRAP

Indications for use:

Trauma of the ankle joint. Ligamentous laxity of the ankle joint. Chronic arthritis and initial stages of arthrosis. Late rehabilitation after a plaster cast is removed. Prevention of habitual dislocation or trauma caused by sport activities.

- The anatomically shaped bandage fits well for everyday usage
- Breathable material ensures maximal comfort
- Elastic strap provides additional lateral fixation of the joint
- Fits for left or right leg

Dimensions		Siz	zes		Max	Colour
Dimensions	S	М	L	XL	deviation	Coloui
Ankle-joint circumference, cm	15-20	21-26	27-32	33-38	± 1,0 cm	beige



## **Lower Extremity Supports**



medpack


SWISS GROUP

# ANKLE SUPPORT WITH RIBS AND ADDITIONAL FIXATION

Indications for use:

Provides delicate fixation and compression of the talocrural joint. Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Provides delicate fixation and compression to the talocrural joint
- Anatomical shape with open heel is more comfortable for everyday use
- Abates pain due to warming and micromassage action
- Metallic stiffeners provide additional stabilization of the joint
- Elastic strap provides additional lateral fixation of the joint
- Fits for left or right leg



Dimensions		Siz	es		Max	Colour
Dillielizioliz	S	М	L	XL	deviation	Coloui
Ankle-joint circumference, cm	16-21	21-26	26-31	31-36	± 1,0 cm	beige



#### ADJUSTABLE ANKLE SUPPORT

Indications for use:

Partial injury of ankle joint ligaments. Ankle joint inflammatory diseases. Ankle joint injuries. Prevention from ankle joint injuries in event of excessive physical and sport activities.

- The bandage is manufactured of aeroprene, a material with marked warming effect
- Figure-of-eight band provides stabilizing of joint and minimizing lateral motion
- Aeroprene is heightened durable and causes no allergic reactions
- Fits for left or right leg

Aeroprene	

Dimensions	Sizes S/L	Max deviation	Colour
Ankle-joint circumference, cm	16-31	± 1,0 cm	black beige

## **Lower Extremity Supports**



#### ANKLE SUPPORT LIGHT FIXATION

Indications for use

Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Provides delicate fixation and compression of the talocrural joint
- Anatomical shape with open heel is more comfortable for everyday use
- Breathable elastic fabric provides more comfort during use
- Fits for left or right leg



Dimensions	Sizes			Max	Colour	
Dillielisions	М	L	XL	deviation	Colour	
Ankle-joint circumference, cm	21-26	27-32	33–38	± 1,0 cm	black beige	




## ANKLE SUPPORT ELASTIC (MEDIUM FIXATION)

Indications for use:

Trauma of the ankle joint. Ligamentous laxity of the ankle joint. Chronic arthritis and initial stages of arthrosis. Late rehabilitation after a plaster cast is removed. Prevention of habitual dislocation or trauma caused by sport activities.

- The anatomically shaped bandage fits well for everyday usage
- Breathable material ensures maximal comfort
- Fits for left or right leg





## **Lower Extremity Supports**



medpack

SWISS GROUP

#### **DEROTATION BOOT**

Indications for use

Fractures of femoral neck and trochanteric area. Rehabilitation after hip replacement. Lower extremities paresis and paralysis of different genesis. Rehabilitation after strokes and nerve focal lesions of lower extremities.

- Light splint can be made in accordance to anatomic body peculiarities
- Absolute split design makes putting the orthosis on easy
- Lateral straps provide adjustment of foot flexion angle and ensure its correct position
- Additional elastic bands fix the shank firmly and prevent from displacement when walking
- Fits for left or right leg



Dimensions	Sizes S/XL	Max deviation	Colour
Shoe size	35-46	± 0,5	black



#### SHORT WALKER WITH FIXED ANKLE

Indications for use:

Foot paralyses and paresis. Postoperative and non-surgical treatment of splint bone fractures, tarsus and metatarsus fractures. Early rehabilitation and plaster cast change after operations on ankle joint and heel. Rehabilitation after fractures of foot bone and the lower third of the shank.

- Cuffs are fixed on shank and foot with the help of Velcro fasteners
- Splints are fastened onto the cuffs with the help of fastener and are additionally fixed with Velcro fasteners
- Straps provide adjustment of fit degree of the orthosis to your skin and also how strong it presses on your muscles
- Rift-shoe-type sole provides almost normal step
- Heel pads reduce shock loads on the ankle joint

Simulated Metallic Ribs Normoflex	
-----------------------------------	--

Dimensions		Siz	es		Max	Colour	
Dillielisiolis	S	М	L	XL	deviation	Coloui	
Shoe size	35-37	38-40	41-43	44-46	± 0,5	black	

## Lower Extremity Supports



medpack-group.com

## THIGH SUPPORT (ELASTIC)

Indications for use

Hip muscles traumas (particularly spasms, sprains, ruptures). Preventions from hip muscles traumas in event of high loads (for instance, sport activities). Prevention from repeated hip muscles traumas.

- Being enough elastic, the bandage provides correct pressure
- Correct selvage rang closing prevents from skin chafing
- Anatomical shape provides easy choice to match your size
- Fits for left or right leg



Dimensions	Sizes				Max	Colour
Dilliensions	S	М	L	XL	deviation	Coloui
Leg circumference in the upper thigh, cm	42-49	48-56	53-62	58-68	± 1,0 cm	beige



#### THIGH SUPPORT WARMING

Indications for use

Hip muscles traumas (particularly spasms, sprains, ruptures). Repeated traumas prevention. Hip muscles injuries. Preventions from hip muscles traumas in event of high loads (for instance, sport activities). Prevention from repeated hip muscles traumas.

- Splint design makes putting on easy and provides adjustment of the pressure on muscle groups
- Upper side of the fabric is made as additional part Velcro fastener which makes fastening easy
- Partial aeroprene layer stacking also allows out of necessity to warm a certain hip part
- Fits for left or right leg

	Dimensions	Sizes	Max	Colour	
	Dimensions	S/XL	deviation	Colour	
,	Leg circumference in the upper thigh, cm	42-68	± 1,0 cm	black beige	
-					

41



## **Lower Extremity Supports**



medpack

SWISS GROUP

# THIGH SUPPORT (HIP STABILIZER) ELASTIC

Medium- and late-term rehabilitation after reconstructive hip joint operations (endoprosthesis replacement, arthroplasty, etc.). Medium- and late-term rehabilitation after solitary (marginal direct, avulsion, incomplete) fractures of greater trochanter (in consultation with your doctor in charge). Impacted femoral neck fractures, including patients of a certain age. Degenerative-dystrophic changes in hip joint (simple femoral neck necrosis, cystic displacement, coxarthrosis, etc.). Arthropathia. Muscularligamentous apparatus injuries, set bone, including cases in sport activities.

- Elastic strap and additional Velcro-fastened bands provide optimal fit on the body
- Elastic stiffening ribs provide medium fixation of hip joint and limit the range of motion
- Fits for left or right leg



Dimensions		Sizes		Max	Colour	
Dilliensions	Dimensions XS/S M/L		XL/XXL	deviation	Colour	
Hips circumference, cm	80-97	98-115	116-134	± 1,0 cm	beige	



### SHIN BRACE ELASTIC

Indications for use:

Shank and sura muscles traumas (particularly spasms, sprains, ruptures). Preventions from shank muscles traumas in event of high loads (for instance, sport activities). Repeated shank muscles traumas.

- Light splint can be made in accordance to anatomic body peculiarities
- Absolute split design makes putting the orthosis on easy
- Lateral straps provide adjustment of foot flexion angle and ensure its correct position
- Additional elastic bands fix the shank firmly and prevent from displacement when walking
- Fits for left or right leg



Dimensions	Sizes				Max	Colour
Dimensions	S	М	L	XL	deviation	Coloui
Shin circumference in widest part, cm	32-36	36-40	40-44	44-48	± 1,0 cm	beige

## Lower Extremity Supports



medpack-group.com

#### SHIN SUPPORT WARMING

Sural traumas (particularly spasms, sprains, ruptures). Repeated traumas prevention. Shank muscles injuries. Preventions from shank muscles traumas in event of high loads (for instance, sport activities).

- Splint design makes putting on easy and provides adjustment of the pressure on muscle groups Upper side of the fabric is made as additional part Velcro fastener which makes fastening easy
- Partial aeroprene layer stacking also allows out of necessity to warm a certain hip part
- Additional elastic Velcro-fastened bands provide close fit
- Fits for left or right leg



Dimensions	Sizes S/XL	Max deviation	Colour
Shin circumference in widest part, cm	32-48	± 1,0 cm	black beige



Conservative and postoperative treatment of hallus valgus and bunion. Prevention of possible arthrosis. Fixation of hallus for initial stage of hallus valgus and after operations for hallus valgus. It is recommended to use with partitions in the interdigital spaces.

- Fixes right position of the hallus
- Reduces size and rate of the deformity development
- The anatomically shaped bandage fits well for everyday usage

HALLUX VALGUS NIGHT SUPPORT

- Breathable material ensures maximal comfort
- Fits for left or right leg

ted Ribs	Dimensions	Siz	zes	Max	Colour	
	Dimensions	S/M	L/XL	deviation	Colour	
Normoflex		Shoe size	35-40	41-46	± 0,5	beige



## Lower Extremity Supports / Upper Extremity Supports



medpack

SWISS GROUP

#### HALLUX SUPPORT

Initial and medium degrees of non-fixed Hallux valgus (great toes anteversion) for returning halluxes in normal position. Rehabilitation after Hallux valgus operation. Deformations of great toe joint. Dormalization of ligamentous tone and foot muscles.

- Cuffs fix forefoot firmly
- Bands` design provides self-regulation of hallux`s position
- Additional fixation of the hallus prevents from joint deformation and scissor toes
- Fits for left or right leg



Dimensions S/M L/X	Siz	es	Max	Colour	
	L/XL	deviation	Colour		
Shoe size	35-40	41-46	± 0,5	beige	



#### SHOULDER WRAP WITH ADDITIONAL FIXATION

The wrap is intended for reliable fixation of upper extremity. Is efficient during rehabilitation period after surgery and traumas, arthritis, arthrosis of the shoulder joint. The wrap is furnished with velcro fastener for its fixation.

- Retains warmth, improves blood circulation of the shoulder
- Promotes increasing of oxygen content in the tissues
- Stimulates recovery process in muscles and ligaments
- Additional strap provides superb stabilization and comfort to the arm
- Fits for both left or right arm

••••	
1000	1
Andreas.	/ <del>\</del> <del>\</del>
Aeroprene	

Dimensions	Siz	zes	Max	Colour	
Dillienzionz	S/M	L/XXL	deviation	Coloui	
Chest circumference on the scapulas level, cm	64-89	90-130	± 1,0 cm	beige black	

## **Upper Extremity Supports**



medpack-group.com

## SHOULDER WRAP FIXATIVE (DESAULT'S BANDAGE)

The wrap provides fixation of upper extremity in functionally profitable position, unloading of upper extremity joints. Is used at shoulder and forearm injuries, injuries and ruptures of shoulder joint ligaments, clavicular-acromial joint and the elbow joints; rehabilitation after fracture of bones of superior extremity girdle and surgery of upper extremity; arthritis, arthrosis of upper extremity joints, scapulohumeral periarthritis, paralyses, paresis, plexitis, upper extremity neuritis.

- The wrap provides reliable fixation of upper extremity
- Has a muff for forearm with two straps and belt to regulate fixation of upper extremity
- Soft breathable material ensures comfort during use
- Fits for both left or right arm



Dimensions		Sizes	Max	Colour		
Dimensions	XS	S/M	L/XXL	deviation	Colour	
Chest circumference on the scapulas level, cm	51-63	64-89	90-130	± 1,0 cm	beige	



#### ARM SUPPORT CUSHION

Immobilization in event of osseous structures injuries, traumas of tendon-ligamentous apparatus of shoulder joint and shoulder soft tissues (for example, after biceps tendon injuries and shoulder posterior dislocation reset). Postoperative necessity of humeral bone and shoulder joint immobilization at a certain angle. Supraspinatus syndrome, chronic bursitis and other inflammatory and degenerative shoulder-girdle diseases.

- The support ensures strong fixation
- Abduction pad at the waist level unweights the upper extremity
- Simple fastener system
- Shoulder and waist straps with adjustable length
- Fixing small forearm and hand strap in the front part of hanging "pocket"
- The support fixes arm with bended forearm and shoulder in rotation position and abduction on 30 degrees
- Fits for both left or right arm

Dimensions	Siz	zes	Max	Colour	
Dillieli210112	S/M	L/XL	deviation	Colour	
Forearm length, cm	21-33	34-47	± 1,0 cm	black	



## **Upper Extremity Supports**



medpack

SWISS GROUP

#### **ELBOW SUPPORT ELASTIC**

Can be used for trauma, sprain, arthrosis and arthritis, while rehabilitation after plaster cast. Supports also used for prevention of common dislocations and traumas while physical exercises.

- Provides compression and fixation of the joint
- Breathable fabric stretches in four directions for more comfortable usage
- Fits for both left or right arm



Dimensions	Sizes				Max	Colour
Dimensions	S	М	L	XL	deviation	Colour
Elbow circumference.cm	23-26	27-31	32-36	37-43	± 1,0 cm	heige



#### **ELBOW BRACE**

Indications for use:

Traumas, injuries, sprain of elbow joint ligaments. Prevention from development and exacerbation of inflammatory elbow joint diseases (arthritis, tendinitis, tendovaginitis). Pain syndrome by chronic degenerative elbow joint diseases (arthrosis and osteoarthrosis). Injuries prevention during sports activities, and job strain on the joint.

- Elbow joint support is manufactured by the product's correct fit technology for people with different anatomic peculiarities of joint elbow.
- The lower part of forearm support is additionally fixed with Velcro-fastenered band. This peculiarity prevents from slipping down and provides additional massage effect on the upper third of the forearm.
- Aeroprene ensures practically perfect support fit in the area of shoulder girdle and the upper third of the shoulder, maximum unweighting the joint and fixing the shoulder. Aeroprene provides micro-massage effect which improves blood circulation and reduces elbow joint edema.
- Fits for both left or right arm



Dimensions			Sizes			Max	Colour
Dilliensions	S	М	L	XL	XXL	deviation	Coloui
Elbow	21-24	24-27	27-30	30-33	33-36	± 1,0 cm	heige black

## **Upper Extremity Supports**



medpack-group.com

#### **ELBOW BRACE**

Treatment and prevention of lateral ("tennis elbow") and medial ("golf elbow") epicondylitis. Job rotary strains on the upper extremities. Sports activities traumas prevention (tennis, golf).

- Excellent fixation
- Simple design, comfortable for self-dependent wearing
- Fits for both left or right arm



Dimensions	Sizes Max		Max	Colour
Dilliensions	S/M	L/XL	deviation	Coloui
Elbow circumference, cm	21-27	27-33	± 1,0 cm	beige black



#### **ROM ELBOW BRACE**

Indications for use:

Incipient functional therapy in event of intra-articular fractures in elbow joint. Early and mid-range immobilization of elbow joint after endoprosthesis replacement. Conservative treatment of elbow joint luxations, epicondyles fracture of humeral distal part without displacement. Immobilization after elbow joint arthrolysis.

- Joint immobilization under the certain angle
- Split design ensures easy putting on and off
- Additional supporting straps provides comfortable wearing
- Hinge design lightens the degree of flexion and extension adjustment Cuffs are manufactured of the material with nice to the touch covering
- Each hinge is available with soft textile pad for snug fit of the orthosis to the joint and for comfortable wearing
- Fits for both left or right arm



Dimensions	Siz	es	Max	Colour
Dimensions	S/M	L/XL	deviation	Colour
Elbow circumference, cm	21-27	27-33	± 1,0 cm	black



## **Upper Extremity Supports**



medpack


SWISS GROUP

#### WRIST WRAP LIGHT FIXATION

Can be used for curing of radiocarpal joint traumas, sprain of ligaments, arthritis, arthrosis, synovitis, and bursitis during rehabilitation after plaster cast. Also can be used for traumas prevention during sports exercises.

- Provides soft fixation and compression of radiocarpal joint
- Elastic loop for comfort during getting on
- Breathable light fabric for comfortable use
- Fits for both left or right arm







#### WRIST WRAP ELASTIC

Can be used for trauma, sprain, arthrosis and arthritis, while rehabilitation after plaster cast. Supports also used for prevention of common dislocations and traumas while physical exercises.

- Provides soft fixation and compression for wrist joint
- Breathable fabrics stretches in four directions for more comfortable usage
- The anatomical shape is convenient for daily use
- Fits for both left or right arm

Cotton Thread	

Dimensions		Siz	es		Max	Colour
Dilliensions	S	М	L	XL	deviation	Coloui
Wrist circumference, cm	14-16	17-19	20-22	23-25	± 1,0 cm	beige

## **Upper Extremity Supports**



medpack-group.com

#### WRIST WRAP WITH STRAP

Pain affecting wrist caused by trauma or injury and different wrist joint disorders. Limited range of motion caused by trauma or injury and by ligamentous laxity of the wrist joint. Chronic tendon inflammation. Condition after trauma and/or operation. Professional hazardous exposures on the wrist (vibration, rotation, lifting of weights). Trauma prevention at all levels of sport and physical activities.

- Breathable light material ensures maximal comfort
- Elastic strap provides additional fixation of the wrist joint
- Fits for both left or right arm



Dimensions	Sizes S/L	Max deviation	Colour
Wrist circumference, cm	14-23	± 1,0 cm	beige



## WRIST WRAP ADJUSTABLE

Pain affecting wrist caused by trauma or injury and different wrist joint disorders. Limited range of motion caused by trauma or injury and by ligamentous laxity of the wrist joint. Chronic tendon inflammation. Condition after trauma and/or operation. Professional hazardous exposures on the wrist (vibration, rotation, lifting of weights). Trauma prevention at all levels of sport and physical activities.

- Breathable material (aeroprene) keeps warmth not interfering with skin functions (protection, thermoregulation etc), improves blood circulation and ensures maximal comfort
- Elastic loop provides additional comfort when putting on
- Fits for both left or right arm

Dimensions	Sizes	Max	Colour	
Dimensions	S/XL	deviation	Coloui	
Wrist circumference, cm	14-27	± 1,0 cm	black beige	





## **Upper Extremity Supports**




medpack

SWISS GROUP

#### WRIST WRAP WITH STAY

Provides reliable fixation and compression of the radiocarpal joint. Abates pain due to warming and micromassage action. Wrap is used at wrist injuries, ligament sprains, arthrosis, arthritis, bursitis, synovitis, tendovaginitis and their exacerbationations, during rehabilitation stage after plaster dressing removal. Also can be used for habitual dislocation prevention and traumas prevention during sports exercises. For its fixation the bandage is furnished with Velcro fastener and original kink

- Provides reliable fixation and compression of the radiocarpal joint
- The metallic stiffening plate and additional straps provide reliable stabilization of the joints
- Anatomic shape is comfortable for daily use
- Fits for both left or right arm
- Can be used instead of plaster cast



Dimensions	Siz	es.	Max	Colour
Dillielizioliz	S/M	L/XL	deviation	Coloui
Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige

#### WRIST WRAP WITH THUMB FIXATION

Wrap is used at wrist or thumb joint injuries, ligament sprains, arthrosis, arthritis, bursitis, synovitis, at rehabilitation stage after plaster dressing removal. It is also used to prevent damages during sport

- Provides reliable fixation and compression of the radiocarpal joint and thumb joint
- Reduces pain and swelling due to warming and micro massage effect
- The metallic stiffening plate provides reliable stabilization of the joints
- Fits for both left or right arm

nulated allic Ribs	Aeroprene	

Dimensions	Siz	es	Max	Colour
Dillielizioliz	S/M	L/XL	deviation	
Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige

## **Upper Extremity Supports**



#### **WRIST SPLINT**

Immobilization and pain syndrome relief after wrist joint traumas and operations, wrist ligament and tendon injuries, fissures and fractures in the lower third of the forearm. Traumatic peripheral nerves neuropathy (particularly, repetitive stress injury and styloiditis), radial nerve paralyses and paresis in event of injury of the CNS. Inflammations of wrist joint and neighboring soft tissues (arthritis, tendovaginitis, myositis). Rheumatic wrist joint diseases. Posttraumatic and postoperative flexion hand contractures prevention. Wrist joint traumas prevention (sprains, ligamentous ruptures, injuries,

- The material is not allergenic and does not cause any skin reactions
- The orthosis fits closely the joint, it is comfortable, hygienic, handy and easy-to-use
- Detachable stiffening rib (splint) provides the product use at all stages of rehabilitation
- Fits for both left or right arm



Dimensions	Siz	zes	Max	Colour
Dilliensions	S/M	L/XL	deviation	Coloui
Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige black



#### WRIST / THUMB WRAP

Indications for use:

The first carpometacarpal and/or metacarpophalangeal joints fixation. Injuries, sprains, luxations of the first carpometacarpal and/or metacarpophalangeal joints. Carpometacarpal joint of I finger laxity. Carpometacarpal joint of I finger (thumb joint) arthrosis, arthritis. Rehabilitation after operative measures on the first carpometacarpal and/or metacarpophalangeal joints. Prevention from repeated traumas of articular-ligamentous apparatus of the first carpometacarpal and/or metacarpophalangeal

- Specially designed detachable metallic splint provides I finger abduction Detachable splint provides step-by-step bandage use at all stages of rehabilitation
- Fits for both left or right arm



Dimensione	Sizes		Max	Colour	
Dimensions	S/M	L/XL	deviation	Colour	
Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige black	



## **Upper Extremity Supports**




medpack

SWISS GROUP

#### WRIST / THUMB SPLINT

The first carpometacarpal and/or metacarpophalangeal joints fixation. Injuries, sprains, luxations of wrist, the first carpometacarpal and/or metacarpophalangeal joints. Laxity of wrist, the first carpometacarpal and/or metacarpophalangeal joints of I finger. Arthrosis, arthritis of wrist, the first carpometacarpal and/or metacarpophalangeal joints of I finger (thumb joint). Ligamentous and tendinous injuries of wrist, carpometacarpal and the first metacarpophalangeal joints. Traumatic peripheral nerves neuropathy (particularly, repetitive stress injury and styloiditis), radial nerve paralyses and paresises in event of injury of the CNS. Rehabilitation after operative measures on the first carpometacarpal and/or metacarpophalangeal joints. Prevention from repeated traumas of articularligamentous apparatus of wrist, the first carpometacarpal and/or metacarpophalangeal joints.

- Specially designed detachable metallic splint provides I finger abduction
- Detachable splint ensures step-by-step usage at all stages of rehabilitation
- Long length of orthosis assures highly full wrist joint fixation
- Orthosis is closely fitted to the joint and it is comfortable, hygienic, handy and easy-to-use
- Fits for both left or right arm





Dimensions	Siz	zes	Max	Colour	
Dimensions	S/M	L/XL	deviation	Colour	
Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige black	



#### **ARM SLING**

Rehabilitation after upper extremity subluxations, luxations and fractures. Rehabilitation after operations on elbow joint and forearm. Incomplete ligamentous lesions of shoulder, acromioclavicular and elbow joints. Arm support if both acute and chronic inflammatory joint diseases of upper extremity are observed. Upper extremity paresis and paralysis.

- Sleeve is manufactured of durable breathable fabric, shoulder and waist straps are made of soft durable band, providing comfortable wearing
- Shoulder strap design provides changing of its position relative to the sleeve, and adjustment of elbow angle
- Waist belt absence ensures gradual arm motion
- Shoulder strap sleeve arranges the weight in the area of shoulder girdle, and prevents from neck rubbing caused by prolonged wearing
- Bandage design in the area of elbow and wrist joints provides close fit
- Straps' length is free-adjustable, and it makes selection and fit according to the patient's size
- Additional loop for thumb provides hand unloading
- Fits for both left or right arm



Dimensions		Siz	zes		Max	Colour
Dimensions	S	М	L	XL	deviation	Colour
Forearm length, cm	21-27	28-33	34-40	41-47	± 1,0 cm	beige

## Upper Extremity Supports / Elastic Bandages



medpack-group.com

#### ARM SLING FACILITATED

Arm fractures, ligament sprains, at postoperative stage.

- Provides arm support and reduces pressure onto neck
- Additional strap provides superb stabilization of the arm
- Breathable fabric for comfortable use
- Fits for both left or right arm



Dimensions	Sizes				Max	Colour	
Dillielizioliz	S	М	L	XL	deviation	Coloui	
Forearm length, cm	21-27	28–33	34-40	41-47	± 1,0 cm	white black	



## MEDICAL ELASTIC BANDAGE WITH MEDIUM TENSILITY. 80 MM, 100 MM, 120 MM WIDTH

Indications for use:

For prevention and curing of traumas and diseases of upper and lower extremities: varicose, chronic venous inflammation before and after surgery, prevents rise of trombophlebitis of superficial vein and trombosis of deep vein. Bandage can be used for preventing and curing traumas and diseases of joints (arthritis, arthrosis, ligamentous laxity), unloading of damaged joint. The bandage fixes, heats, decreases hypostasis, stops inflammation. Defends against traumas during sports exercises, hard phisical work, prolonged static load.

- Firm bandage fabric retains essential tensility and provides excellent compression even after prolonged use and frequentative washing
- High cotton contents provides comfort during use
- Can be furnished with metal or combined clips for fixation



Art.	Length	Width	Art.	Length	Width
02x80x1	1 m	8 cm	02x100x1	1 m	10 cm
02x80x1,5	1,5 m	8 cm	02x100x1,5	1,5 m	10 cm
02x80x2	2 m	8 cm	02x100x2	2 m	10 cm
02x80x2,5	2,5 m	8 cm	02x100x2,5	2,5 m	10 cm
02x80x3	3 m	8 cm	02x100x3	3 m	10 cm
02x80x3,5	3,5 m	8 cm	02x100x3,5	3,5 m	10 cm
02x80x4	4 m	8 cm	02x100x4	4 m	10 cm
02x80x5	5 m	8 cm	02x100x5	5 m	10 cm
12x120x5	5 m	12 cm	02x100x10	10 m	10 cm



#### **Manufacture & Global Distribution**

Colour

deviation  $\pm 1.0 \, cm$ ± 1,0 cm

## MEDICAL BANDAGES AND SUPPORTS


## Supports For Children



#### CHILD SOFT FIXATION CERVICAL COLLAR

Myogenic torticollis. Cervical muscle tone dysfunction. Cervical spine support in debilitated and premature infants. Birth trauma. Maintaining neck posture after massage or other treatment procedures. Scoliosis of the upper thoracic spine. Kyphosis of the thoracic spine (to maintain a correct posture).

E00000			Dimensions	
-	- 8080808 -		Dillielisions	
Viscose / Net Fabrik	Foamed Polyurethane	(2)	Neck height, cm	
			Neck circumference, cm	



### **PAVLIK HARNESS**

Indications for use:

Indications for use:

Hip joint dysplasia, pre-luxation, subluxation and luxation of femoral head.

The product's design provides wearing over the clothes

Strap tension can be adjusted depending on your baby's size

If it is necessary you can cut off long strap ends

Long-time wearing

Comfort of hygienic manipulation





## Harness



### **WRIST HARNESS**

Indications for use:

Fixation of the upper extremities. Psychomotor agitation. During operations. Prevention of patient unsanctioned motion activity in intensive care units.

Soft material prevents from compression of peripheral nerves and blood vessels


Wrist fixing straps fit to any types of beds

Adjustible wrist fixing straps allow quick regulation of motion range and, if necessary, maximal reliable fixation

Length of strops allows a wide range of patient movements

Fits for both left or right arm





(A)	Dimensions
	Wrist
	circumference, ci

Dimensions	Sizes S/XL	Max deviation	Colour
Wrist circumference, cm	14-27	± 1,0 cm	beige

Max

Colour

## **ANKLE HARNESS**

Indications for use:
Fixation of the lower extremities. Psychomotor agitation. During operations. Prevention of patient unsanctioned motion activity in intensive care units.

Soft material prevents from compression of peripheral nerves and blood vessels

Ankle fixing straps fit to any types of beds

Adjustible ankle fixing straps allow quick regulation of motion range and, if necessary, maximal reliable fixation

Length of strops allows a wide range of patient movements

Fits for both left or right leg













## Cervical Collar / Medical Binder



#### CERVICAL COLLAR SOFT FIXATION

Cervical vertebra and soft tissue neck traumas, accidental or abrupt movement traumas of head or neck, at postoperative stage.

- Supports cervical vertebra in correct position
- Provides warming effect and soft massage
- Foam provides softness and comfort during usage
- Velcro closure for easy and tight adjustment

Dimensions	Si	zes	Max	Colour	
Dilliensions	- 1	II	deviation		
Neck height, cm	9	11	± 1,0 cm		
Neck circumference, cm	28-39		± 1,0 cm	white	



#### MEDICAL BINDER PREVENTIVE ELASTIC

Binder helps to restore tonus at postsurgical and postnatal stage, prevents suture line disruption. It holds abdominal muscles, provides moderate compression and reduces pendulous abdomen. It is recommended to get on the support lying on the back directly on underwear.

- Can be used to support abdominal muscles at postsurgical and postnatal stage
- Prevents suture line disruption and postoperative abdominal hernia rise
- Forms body contours and is invisible under clothes
- Breathable light fabrics of the bandage ensures maximal comfort during use

Dimensions		Sizes			Max	Colour
Dimensions	S	М	L	XL	deviation	Colour
Waist circumfer- ence, cm	71-80	81-90	91-100	101-110	± 1,0 cm	beige

## Maternity Belt / Arm Sling



## MATERNITY BELT (PRE- AND POSTNATAL)

Typical features of bandage material are lightness, wearing qualities, and also free air and moisture permeability. Biologically inert fabric does not provoke allergic reactions.

- Reduces pains at lower back and hips
- Prevents stretch marks on the abdomen
- Helps to maintain correct posture and active lifestyle during pregnancy period
- Invisible under clothing

Dimensions		Sizes	Max	Colour	
Dimensions	S	М	L	deviation	Colour
Hip circumference, cm	98-106	107-115	116-124	± 1,0 cm	beige





#### ARM SLING FACILITATED

#### Indications for use:

Arm fractures, ligament sprains, at postoperative stage.

- Provides arm support and reduces pressure onto neck
- Additional strap provides superb stabilization of the arm
- Breathable fabric for comfortable use
- Fits for both left and right arms

Dimensions		Sizes	Max	Colour	
Dimensions	S	М	L	deviation	Colour
Forearm length, cm	21-27	28-33	34-40	± 1,0 cm	black



## Lower Extremity Supports



#### KNEE JOINT SUPPORT ELASTIC

Can be used in cases of knee joint traumas, sprain of ligaments, arthritis, arthrosis, during rehabilitation after plaster cast. Also used for prevention of common dislocations and traumas while

- Provides soft and reliable fixation and compression of knee joint
- Breathable fabric stretches in four directions for comfortable use
- Fits for left and right leg



Dimensions		Siz	zes	Max	Colour	
Dillielisions	S	М	L	XL	deviation	Coloui
Knee circumference, cm	28-33	34-39	40-45	46-51	± 1,0 cm	beige

Art. No. 8317



## ANKLE SUPPORT ELASTIC

Trauma of the ankle joint. Ligamentous laxity of the ankle joint. Chronic arthritis and initial stages of arthrosis. Late rehabilitation after a plaster cast is removed. Prevention of habitual dislocation or trauma caused by sport activities.

- The anatomically shaped bandage fits well for everyday usage
- Breathable material ensures maximal comfort
- Fits for left or right leg



	Dimensions		Siz	zes	Max	Colour	
		S	М	L	XL	deviation	Coloui
	Ankle-joint circumference, cm	15-20	21-26	27-32	33-38	± 1,0 cm	beige

## **ELBOW SUPPORT ELASTIC**

Can be used for trauma, sprain, arthrosis and arthritis, while rehabilitation after plaster cast. Supports are also used for prevention of common dislocations and traumas while physical exer-

- Provides compression and fixation of the elbow joint
- Breathable fabric stretches in four directions

circumference, cm

- for more comfortable usage
- Fits for right and left arm



Dimensions		Siz	zes	Max	Colour	
Difficusions	S	М	L	XL	deviation	Coloui
Elbow	23-26	27-31	32-36	37-43	± 1,0 cm	

**Upper Extremity Supports** 



#### WRIST WRAP ELASTIC

Can be used for trauma, sprain, arthrosis and arthritis, while rehabilitation after plaster cast. Supports are also used for prevention of common dislocations and traumas while physi-

- Provides soft fixation and compression for wrist joint
- Breathable fabrics stretches in four directions for more comfortable usage
- The anatomical shape is convenient for daily use
- Fits for right and left arm

Dimensions	Sizes				Max	Colour
	S	М	L	XL	deviation	Coloui
Wrist circumference, cm	14-16	17-19	20-22	23-25	± 1,0 cm	beige

## **Elastic Bandages**








## MEDICAL ELASTIC BANDAGE WITH MEDIUM TENSILITY, 80 MM, 100 MM WIDTH

For prevention and curing of traumas and diseases of upper and lower extremities: varicose, chronic venous inflammation before and after surgery, prevents rise of thrombophlebitis of superficial vein and thrombosis of deep vein. Bandage can be used for preventing and curing traumas and diseases of joints (arthritis, arthrosis, ligamentous laxity), unloading of damaged joint. The bandage fixes, heats, decreases hypostasis, stops inflammation. Defends against traumas during sports exercises, hard physical work, prolonged static load

- Firm bandage fabric retains essential tensility and provides excellent compression even after prolonged use and frequentative washing
- High cotton contents provides comfort during use
- Can be furnished with metal or combined clips for fixation

Art.	Length	Width		
12x80x1	1 m	8 cm		
12x80x2	2 m	8 cm		
12x80x3	3 m	8 cm		
12x100x1,5	1,5 m	10 cm		
12x100x3	3 m	10 cm		



#### Headquarters Medpack Swiss Group AG

Unterlettenstrasse 14 9443 Widnau Switzerland phone: +41 71 747 11 95 info@medpack-group.com medpack-group.com

#### Production Factory Medtex Swiss Bulgaria Ltd

15 Konservna str., 5300 Gabrovo Bulgaria phone: +359 88 805 9356 info@medtex-swiss.ch medtex-swiss.ch