

Product Line April 2015

MEDICALBANDAGESANDSUPPORTS



About The Factories

Swiss commercial and industrial corporation MedPack Swiss Group has several own factories which manufacture high quality medical goods. Two of them are Technomedica factory and MedTex Swiss Bulgaria factory located in EU. These orthopedic support and bandage production factories pay special attention to the quality of their goods which are oriented for sale in Europe, Africa, Middle East, Asia and other markets.

The factories specialize in manufacturing medical goods for support, rehabilitation and daily use comfort, including: cervical collars; posture correctors and reclinators; sacro lumbar corsets; post-surgical and abdominal binders; hernia supports; maternity belts; upper and lower extremities supports; elastic bandages and a lot more. These goods are produced under swiss brand MedTextile®.

MedTextile`s brand portfolio has both in-demand supports and supports with special purposes and prescriptions. This current line of goods is constantly tested, improved and based on the recommendations of practitioner physicians. The most recent studies performed by leading experts in the fields of orthopedics, traumatology, gynecology, physical therapy and rehabilitation are the foundation of production.

Both factories are equipped with innovative automatic knitting machinery from the well-known Swiss company JACOB MULLER A.G. – a source of pride for any garment manufacturer in the world. Uncompromising quality is the primary goal at the production, thus all of the departments outfitted with the latest technology from the world's most highly-regarded equipment firms.

Production machinery is operated on by experienced personnel, trained at the MULLER center in Frick, Switzerland.

High production capacity drives from factories' wide range of special and universal machines. Due to modern equipment, the factories have their own high quality elastic and belt ribbon, lacing and different edging materials.

Cyclical turnaround is integrated into the process flowsheet, including all stages from drafting and raw materials manufacturing to the output of the finished products.

About Quality Control / Certification

Both factories have implemented the Quality Management System in accordance with international standard protocols ISO 9001 and ISO 13485 that is validated with TUV Rheinland, DQS and IQNet annual audit control and the appropriate certificates.

Production quality is inspected at every stage of the manufacturing process and goes through three-level control: an inspection test, a walkthrough and the final stage, when 100% finished products are compared with the benchmark samples. Goods are directed to the pack area only when their high quality has been guaranteed.

All raw materials used in production are safe and environmentally friendly and have corresponding certificates.

Every year the factories as part of the MedPack Swiss Group participate in major and local exhibition shows in Europe, Asia, Africa and have the appropriate diplomas.

The main advantages of the MedPack Swiss Group's production factories are: good location, high European standards of quality, wide selection of their own products and the ability to produce qualitative medical goods for other privat labels and trade marks.

Due to manifactures' modern high-tech equipment, up-to-date materials and advanced technology - the high quality of goods is consistently guaranteed.

Production's comprehensive approach to process management, strict three-stage quality control, attractive packaging and competitive prices allow MedPack Swiss Group to compete with leading companies in the medical orthopedic equipment field.









Materials Catalogue





Firm, elastic, breathable binding band ensures maximal comfort during use.



Aeroprene or breathable neoprene, has unique ability to keep body warmth without hamper to skin breathing.



Normoflex, triple breathable fabric with softening and warming properties.

Provides a good heat, humidity controls, and performs micromassage warming effect, which leads to improved microcirculation and normalize blood circulation.

Material convention / Packaging



COTTON THREAD



POLYESTER / POLYETHER



LATEX THREAD



KAPRON / POLYAMIDE / NYLON



FOAMED POLYURETHANE



VISCOSE / NET FABRIK



LEATHER-CLOTH



ERGONOMIC SHAPE FOAM PADS







Support & Comfort



Cervical Collars



SOFT FIXATION CERVICAL COLLAR

Indications for use:

Cervical vertebra and soft tissue neck injuries, accidental or abrupt movement of head or neck, at postoperative stage

Sizes

н

9

28-49

Ш

11

Max

deviation

± 1,0 cm

± 1,0 cm

Colour

beige

- Supports cervical vertebra in correct position
- Provides warming effect and soft massage
- Foam provides softness and comfort during usage
- Velcro closure for easy and tight adjustment

Cervical Collars



Indications for use: Fractures, disclocations, incomplete dislocations of cervical vertebrae; early-stage rehabilitation after surgery on the cervical spine and injuries of cervical vertebrae; evacuation by transportation when cervical spine injuries are suspected; cervical radiculopathy; moderate and severe cervical spine instability complicated by neurological manifestations; osteochondropathies, cervical abnormalities, changes in the structure of vertebrae of different nature; status after surgery on cervical structures not requiring continuous monitoring of the post-operative field; rehabilitation treatment after cranial-spinal and cranial-cerebral injuries.







SOFT FIXATION CERVICAL COLLAR WITH RIGID PANEL

7,5

Indications for use:

Dimensions

Neck height, cm

Neck circumference, cm

Cervical vertebra and soft tissue neck injuries, accidental or abrupt movement of head or neck, at postoperative stage

- Rigid panel provides additional immobilization of neck and can be removed to gradually increasing range of motions
- Supports cervical spine in correct position
- Provides warming effect and soft massage
- Foam guarantees softness and comfort during usage
- Velcro closure for easy and tight adjustment



Dimensions		Sizes	Max	Colour	
Dimensions	I	Ш	III	deviation	Colour
Neck height, cm	7,5	9	11	± 1,0 cm	
Neck circumference, cm	28-49			± 1,0 cm	beige





cerebral injuries.



RIGID CERVICAL COLLAR

• Design of the product allows to wear the bandage without additional traumatization of the neck even in the lying position of your body

		Sizes		Max	Colour	
IS	I	Ш	III	deviation	Colour	
nce, cm	25-30	31-38	39-46	± 1,0 cm	beige	

CERVICAL COLLAR WITH TRACHEA OPENING

Indications for use:

Fractures, disclocations, incomplete dislocations of cervical vertebrae; early-stage rehabilitation after surgery on the cervical spine and injuries of cervical vertebrae; evacuation by transportation when cervical spine injuries are suspected; cervical radiculopathy; moderate and severe cervical spine instability complicated by neurological manifestations; osteochondropathies, cervical abnormalities, changes in the structure of vertebrae of different nature; status after surgery on cervical structures requiring continuous monitoring of the post-operative field; tracheostomes; rehabilitation treatment after cranial-spinal and cranial-

 Design of the product allows to wear the bandage without additional traumatization of the neck even in the lying position of your body

Dimensions		Sizes	Max	Colour	
Dimensions	I.	Ш	III	deviation	Colour
:k circumference, cm	25-30	31-38	39-46	± 1,0 cm	beige

Cervical Collars / Posture Supports



medpack

SWISS GROUP

RIGID ADJUSTABLE COLLAR

Indications for use:

Stable fractures of cervical vertebrae; early-stage and mediumstage rehabilitation after surgery on the cervical spine and injuries of cervical vertebrae; evacuation by transportation when cervical spine injuries are suspected; cervical radiculopathy; moderate and severe cervical spine instability complicated by neurological manifestations; osteochondropathies, cervical abnormalities, changes in the structure of vertebrae of different nature; rehabilitation treatment after cranialspinal and cranial-cerebral injuries; maintenance of correct position of the cervical spine after manual therapy.

• The bandage is made of light-weight nontoxic hypo-allergenic and hygienic materia;

Dimensions		Sizes	Max	Colour	
Dimensions	I.	Ш	III	deviation	Coloui
Neck circumference, cm	34-40	40-46	46-53	± 1,0 cm	beige white

Posture Supports



Indications for use:

- degree of fixation.
- in the correct position.

Dimensions

Chest circumference on the scapulas leve cm





CHILD RECLINATOR (POSTURE SUPPORT)

Indications for use:

The reclinator forms proper posture, reduces pain in upper area of spine caused by scoliosis, kyphosis, kyphoscoliosis, arthritis, prevents deformations of spine, forms habit to hold the back straight.

- Corrects poor posture and prevents slouch •
- Additional removable metal stiffeners help to align spine and provide proper posture
- Wide straps smoothly distribute pressure onto shoulders
- Elastic straps are comfortably placed around body

Dimensions		Sizes		Max	Colour
Dimensions	S	М	L	deviation	coloui
Chest circumference, cm	42-50	51-60	61-68	± 1,0 cm	beige





Chest circumferer the scapulas leve

Dimension

syndrome;

for back pain.



POSTURE BRACE ELASTIC WITH STAYS

Posture brace with steel stays corrects poor posture, reduces pain at the thoracic and lumbar spine caused by kyphosis, scoliosis, osteoporosis or arthritis and prevents vertebral deformity. Can be used at the rehabilitation stage after surgery and thoracic injuries. Elastic straps prevent slouching. Metal stays improve posture and provide extra support to the spine.

• Two metal stays help to straighten spine and provide proper posture. The stiffeners can be simulated, if it necessary, depending on the

• Wide brace straps smoothly distribute pressure among shoulders Elastic straps are comfortably placed around body, holding the brace

			Sizes			Max	Colour
	S	М	L	XL	XXL	Max deviation	Colour
el,	64- 76	77- 89	90- 102	103- 116	117- 130	± 1,0 cm	beige

POSTURE BRACE ELASTIC (LIGHT FIXATION)

Indications for use:

Prevention and treatment of postural disorders, including stoop, and thoracic spine curvatures (kyphosis, stage I of scoliosis). Late rehabilitation after thoracic spine traumas. Early stages of thoracic spine degenerative disk disease. Juvenile kyphosis (Scheuermann-Mau's disease) with pain

-spondylopathies. To enhance effects of massage and/or manual therapy

• Easy putting on and usage are combined with high therapeutic effectiveness;

Timing of wearing can reach up to 8-10 hours per day; Adjustable for every customer;

	Si	zes	Max	Colour	
IS	XS/S	M/L	deviation	Colour	
nce on el, cm	66-83	84-101	± 1,0 cm	beige	



Posture Supports

medpack

SWISS GROUP





Thoracic spine curvatures (kyphosis, stage I-II of scoliosis). Osteochondropathies, Calve's and Scheuermann-Mau's disease. Prevention of slumping shoulders for those who have sedentary jobs. Rehabilitation after thoracic and lumbar spine traumas. To enhance effects of massage and/or manual therapy. Prevention of pathological fractures in cases of osteoporosis, tumors and tuberculosis.

- The peculiar feature of reinforced posture corrector design is elastic strap which additionally provides balanced muscle tone of the body holding muscles. The strap allows fixing additionally and unloading the lumbar spine in case of disorders and pain in the back
- Posture corrector is manufactured from hypoallergenic materials

Dimensions			Max	Colour		
Dimensions	XS/S	M/L	XL/XXL	XXXL/XXXXL	deviation	Coloui
Waist circumference, cm	50-70	71-90	91-110	111-120	± 1,0 cm	
Stature, cm		(158-1	73); II (1	74-188)	± 1,0 cm	beige

Posture Supports



Indications for use:

The reclinator forms proper posture, reduces pain in upper area of spine, prevents slouch. Triangular shape of the reclinator softly distributes pressure to the shoulders. Furnished with Velcro fastener for fixation.

- callosity formation.



Dimensions Chest circumference

on the scapulas leve сm

ELASTIC RECLINATOR LIGHT FIXATION

Indications for use:

Spinal curvatures, (kyphosis, scoliosis), winged scapula. The posture support prevents slouch development, forms habit to hold the back straight, helps to avoid different diseases concerned with poor posture (respiratory, cardiovascular, digestive and other disorders). Ensures girdle of superior extremity opening and vertebral bodies relief with preservation of normal muscle tone.

- Corrects poor posture and prevent slouching
- An efficient mean for correction of poor posture and shoulder slouch
- Has adjustable fixation level from soft to hard
- Flexible belts comfortably embrace the body



Dimensions		Sizes	Max	Colour	
Diffetisions	S/M	L/XL	XXL	deviation	Coloui
Chest circumference on the scapulas level, cm	64-89	90-116	117-130	± 1,0 cm	beige





Dimensions

Chest circumference the scapulas level,

traumas



CLAVICULAR RECLINATOR INTENSIVE FIXATION

• The efficient mean for correction of poor posture and shoulder slouch Can be used during treatment of the clavicle break in period of bone

• Fixes clavicles in correct position for quick recovery

• Has adjustable fixation level from soft to hard

• Wide straps smoothly distribute pressure among shoulders

			Sizes			Max	Colour
	S	Μ	L	XL	XXL	Max deviation	Colour
el,	64- 76	77- 89	90- 102	103- 116	117- 130	± 1,0 cm	beige

POSTURE BRACE WITH STAYS

Indications for use:

Posture brace helps to limit volume of motions in lumbar and pectoral area of spine, ensures correct posture forming, abates pain in upper and lower spine parts. Prevents slouch and restores phisiologically correct position of shoulder girdle.

 Is recommended to use during back pains caused by radiculitis, osteochondrosis, slipped and protruded disks, spinal curvatures,

 Two removable metallic stiffeners provide reliable support to pectoral and lumbar areas of spine

• Wide straps smoothly distribute pressure onto shoulders

Additional straps ensure required level of loins compression

		Sizes		Max	Colour
	S/M	L/XL	XXL	deviation	Colour
e on cm	64-89	90-116	117-130	± 1,0 cm	beige



Rib Belts



RIB BELT (MEN)

Indications for use:

Myalgia, myositis and intercostal neuralgia. Midterm and late rehabilitation after rib fractures. Rehabilitation after thoracic traumas and surgeries.

- The bandage is manufactured from two types of fabric; one of them with minimal flexibility in the front side effectively limits chest wall mechanics and the second one from highly elastic fabric in the back ensures comfortable fixation on the body
- It is fixed with Velcro fastener and shoulder straps preventing slipping down
- The bandage is imperceptible under the clothes



Dimonsions	Si	zes	Max	Colour	
Dimensions	S/L	XL/XXXL	deviation	Colour	
Chest circumference on the scapulas level, cm	75-101	102-128	± 1,0 cm	beige	

Sacrolumbal Supports



Indications for use: The support helps to limit motions in lumbar and thoracic part of the spine, ensures correct forming of carriage, abates pain in the upper and lower parts of spine. Prevents slouch. Additional removable metal plates help to fix and plane spine, ensure right posture and reliable support in pectoral and lumbar areas.

- use

Dimensions

Waist circumference, cm



RIB BELT (WOMEN)

Indications for use:

Myalgia, myositis and intercostal neuralgia. Midterm and late rehabilitation after rib fractures. Rehabilitation after thoracic traumas and surgeries.

- The bandage is manufactured from two types of fabric; one of them with minimal flexibility in the front side effectively limits chest wall mechanics and the second one from highly elastic fabric in the back ensures comfortable fixation on the body
- It is fixed with Velcro fastener and shoulder straps preventing slipping down
- The bandage is imperceptible under the clothes



Dimensions	Siz	es	Max	Colour
Dimensions	XS/M	L/XXL	deviation	Colour
Chest circumference on the scapulas level, cm	66-92	93-119	± 1,0 cm	beige







Dimensions



THORACIC-LUMBAR SUPPORT

 Is recommended to use during spinal pains caused by radiculitis, osteochondrosis, disks hernias, disk displacements, spinal curvatures • Wide straps smoothly distribute pressure onto shoulders

Additional belts ensure necessary level of loin compression

Breathable light fabric of the support ensures maximal comfort during

	Siz	zes		Max	
XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
50-70	71-90	91-110	111-130	± 1,0 cm	beige

ELASTIC SACROLUMBAL MEDICAL SUPPORT (WITH 4 STAYS)

Indications for use:

Osteochondrosis, radiculitis, slipped and protruded disks, traumas, chronic pains in sacrolumbal area of spine. Due to 4 stiffeners it provides reliable support to lumbar area, relaxation of spine muscles and improves the blood circulation.

• 4 removable steel stiffeners provide reliable support and fixation at the sacrolumbal area of spine

• Additional elastic belts are comfortably placed around waist and provide required compression at the lumbus

• Removable pad for backward curvature for the best fit

		:	Sizes				Max	Colour
S	М	ι	XL	XXL	XXXL	XXXXL	deviation	Coloui
					111- 120		± 1,0 cm	beige



Sacrolumbal Supports

SWISS GROUP

medpack





Indications for use:

Nephroptosis, visceroptosis caused by familial or acquired reasons (the latter include consequences of injuries, operations, weight loss, abdominal and pelvic muscles weakening). Congenital or acquired fixation disorders of intra-abdominal viscera and retroperitoneal structures (including floating kidney).

- Unilateral and bilateral support of kidneys and intra-abdominal viscera
- Velcro fastener ensures regulation of pressure force on the back and anterior abdominal wall
- Additional tie-bar stabilizes the bandages position even at active motion



		Si	zes		Max	
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	black

SACRO LUMBAR SUPPORT FACILITATED (20CM)

Indications for use:

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions) and herniated disks (early stages), radiculopathies, lumbago, traumas and chronic pains in the lumbosacral spine. Late rehabilitation after traumatic lumbosacral spine injuries and operations in this area.

- Breathable light brace material (net fabric) ensures maximum comfort
- Two built-in stays unload the bony structures of the spine and lower back muscles
- Two additional elastic straps allow individualized fixation

Plastic Inserts	
Binding Band	

Λ			Sizes	Max			
	Dimensions	S/M	L/XL	XXL/ XXXL	deviation	Colour	
	Waist circumference, cm	60-83	84-109	110-135	± 1,0 cm	beige	

Sacrolumbal Supports



Indications for use: lumbosacral spine surgeries.

- •



Dimensions

Waist circumference,

ORTHOPEDIC SUPPORT (HEATING, WITH STAYS)

Indications for use:

- spine
- period

Dimensions

Waist circumference, cm



SACRO LUMBAR SUPPORT FACILITATED (25CM)

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions more than 10 mm) or early stages of several herniated disks (Th10-L5), radiculopathies, lumbago, sciatica, traumas, chronic pains in lumbosacral spine. To provide orthopedic regimen during midterm and late rehabilitation after lumbar spine injuries. Recovery after

• Breathable light brace material (net fabric) ensures maximum comfort Bour built-in stays unload the spine and lower back muscles Two additional elastic straps allow individualized fixation

	Sizes		Max		
	S/M	L/XL	XXL/ XXXL	deviation	Colour
e, cm	60-83	84-109	110-135	± 1,0 cm	beige

The support is used for curing of osteochondrosis, radiculitis, displacements and hernias of vertebral dicks, traumas, chronic pain in lumbosacral part of spine, can be used after delivery and surgery of abdominal wall. Due to stiffeners the support provides reliable backing of the waist, relaxation of back muscles, and normalization of blood circulation.

Plastic stiffeners ensure additional support in lumbosacral area of

- Pain decreasing and prevention of loins traumas
 - Has heating and micro massage action
- Support of the abdomen muscles after postsurgical and postdelivery

		Siz	zes		Max	
XS/	'S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
50-7	70	71-90	91-110	111-130	± 1,0 cm	beige black



Sacrolumbal Supports

MEDICAL BANDAGES AND SUPPORTS

Sacrolumbal Supports



ELASTIC SACROLUMBAL MEDICAL SUPPORT WITH 6 STAYS (24CM)

Indications for use:

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions more than 10 mm) or early stages of several herniated disks (Th10-L5), radiculopathies, lumbago, sciatica, traumas, chronic pains in the lumbosacral spine. To provide orthopedic regimen during midterm and late rehabilitation after lumbar spine injuries. Recovery after lumbosacral spine surgeries.

- Breathable light brace material (net fabric) ensures maximum comfort
- Six built-in stays unload the spine and lower back muscles

ELASTIC SACROLUMBAL MEDICAL SUPPORT

Treatment and prevention of degenerative disk disease, intervertebral

bulging disks (protrusions more than 10 mm) or early stages of several

herniated disks (Th10-L5), radiculopathies, lumbago, sciatica, traumas,

chronic pains in the lumbosacral spine. To provide orthopedic regimen

during midterm and late rehabilitation after lumbar spine injuries. Recovery

Breathable light brace material (net fabric) ensures maximum comfort

Six built-in stays unload the spine and lower back muscles

Two additional elastic straps allow individualized fixation

WITH 6 STAYS (32CM)

after lumbosacral spine surgeries.

Indications for use:

Two doubled additional elastic straps allow individualized fixation



Indications for use:

- lumbosacral radiculitis).



	Dimensions		Si	Max			
		XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
	Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige



Dimensions

Waist circumference, cm





		Si	zes		Max	
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige





Waist

Dimensions

circumference, cm



ANTI-RADICULITIS SUPPORT (HEATING)

The corset is used to fix and unload lumbar spine and to make a simultaneous warming effect at chronic pains in lumbosacral spine, radiculitis, rheumatism, neuritis and other diseases of the lumbar spine. The corset features a warming and supporting effect. It contains sheep natural wool that ensures perfect therapeutic effect.

• Diseases of support-motor system (radiculitis, ostechondrotis,

• Diseases of urogenital system (urolithiasis, nephritis, prostatitis, inflammation of uterine appendages).

	Siz	zes		Max	
XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
50-70	71-90	91-110	111-130	± 1,0 cm	beige

BACK SUPPORT (FOR WEIGHT LIFTING)

Indications for use:

Treatment and prevention of degenerative disk disease, intervertebral bulging disks (protrusions) and herniated disks (early stages), radiculopathies, lumbago, chronic pains in the lumbosacral spine. Late rehabilitation after traumatic lumbosacral spine injuries and operations in this area. Ideal for manual labour that entails unusual lumbar stress (weight lifting etc).

 Breathable light brace material (net fabric) ensures maximum comfort Side elastic straps allow individualized fixation

Detachable length-adjustable garters ensure additional fixation of the brace and slight reclination effect

• The brace is enhanced with six built-in stavs

				Sizes			Max	Colour
60- 71- 84- 97- 110- 70 83 96 109 122 ±1,0 cm		S	М	L	XL	XXL	Max deviation	Colour
)	60- 70			27	±±0	± 1,0 cm	black



Sacrolumbal Supports





MEDICAL BINDER PREVENTIVE (WITH 3 STAYS)

Indications for use:

Osteochondrosis, radiculitis, slipped and protruded disks, traumas, chronic pains in sacrolumbal spine. Due to 3 stiffeners it provides reliable support of lumbar area, relaxation of spine muscles and improves the blood circulation. The binder can be used in postsurgical and post-delivery period. Support holds abdominal muscles, provides reasonable compression of abdominal wall and prevents disruption of suture lines. Is recommended to get on the support lying on the back directly on underwear.

- 3 removable steel stiffeners provide reliable support and fixation at the sacrolumbal area of spine
- Pain reduction and preventive care for loins traumas
- Supports abdominal muscles at post-surgery and post-natal stage

Dimensions					Sizes				Max	Colour
						XXL			deviation	coloui
Waist circum-	50-	61-	71-	81-	91-	101-	111-	121-	+ 1 0 cm	
ference, cm	60	70	80	90	100	110	120	130	± 1,0 UII	beige

Sacrolumbal Supports / Maternity Supports

ORTHOPEDIC SUPPORT HEATING

Indications for use: For compression and soft fixation of waist. Decreases pain due to heating and micro massage action. Can be used for weight loss, decreasing of abdominal fatty tissue thickness during sports and exercises. For fixation the bandage is furnished with Velcro fastener and original kink coating.

- •
- Well models body outlines



Dimensions

Waist circumference, cm





MEDICAL BINDER PREVENTIVE ELASTIC

Indications for use:

Binder helps to restore tonus at post surgical and post natal stage, prevents suture line disruption. It holds abdominal muscles, provides moderate compression and reduces pendulous abdomen. Is recommended to get on the support lying on the back directly on underwear.

- Can be used to support abdominal muscles at post surgical and post natal stage
- Prevents suture line disruption and postoperative abdominal hernia rise
- Forms body contours and is invisible under clothes
- Breathable light fabrics of the bandage ensures maximal comfort during use

Dimensions		Sizes						Max	Colour	
						XXL			deviation	
Waist circum-	50-	61-	71-	81-	91-	101-	111-	121-	+ 1 0 cm	
ference, cm	60	70	80	90	100	110	120	130	L T'O CIII	beige



Hip circumference cm

Dimensions

bandage.



Has heating and micro massage action

Ensures compression and soft fixation of waist

Breathable neoprene (aeroprene) has an unique property to hold body

warmth without blocking skin breathing

	S	Max				
XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour	
50-70	71-90	91-110	111-130	± 1,0 cm	beige black	

MATERNITY BELT (PRE- AND POSTNATAL)

Indications for use:

Prenatal bandage is specifically designed for expectant mothers to support the abdomen and pelvic organs in physiological rest position, favoring the normal position of the fetus. It helps alleviate discomfort and lower back pain due to pregnancy, unloading the lumbar spine. Wearing this bandage reduces the risk of excessive uterine activity, decreases stretching of the skin and amount of abdominal striae. The bandage is particularly helpful in cases of multiple gestation and polyhydramnios. Women with a history of previous spine traumas or disorders will also benefit while wearing the

• Reduces pains at lower back and hips Prevents stretch marks on the abdomen

		Max	Colour			
XS	S	Μ	L	XL	deviation	Colour
80- 88	89- 97	98- 106	107- 115	116- 124	± 1,0 cm	beige



Maternity Supports





MATERNITY BACK SUPPORT FACILITATED

Indications for use:

Maternity bandage is specifically designed for expectant mothers to support the abdomen and pelvic organs in physiological rest position, favoring the normal position of the fetus. It helps alleviate discomfort and lower back pain due to pregnancy, unloading the lumbar spine. Wearing this bandage reduces the risk of excessive uterine activity, decreases stretching forcers in the skin and amount of abdominal striae.

- Breathable light brace material (net fabric) ensures maximum comfort
- The bandage is enhanced with two in-built stays in the lower back to reduce muscle tension
- The bandage is enhanced with fastener and two elastic straps which allow individualized support

	Dimensions	Sizes						Max	Colour
	Dimensions	XS	S		ι			deviation	coloui
Y	Hip circumference, cm	80- 88	89- 97	98- 106	107- 115	116- 124	125- 134	± 1,0 cm	beige

Support is used during pregnancy to reduce pains in lumbar area of

spine and hips. Provides soft support of abdomen and secures the best

conditions for correct fetus position. Due to 2 removable rigid plates it

efficiently relieves stress in the lower back and supports the abdomen

during pregnancy. The support can be used after delivery for restoring of

MATERNITY SUPPORT ELASTIC

abdominal muscles tone. Breathable elastic fabrics

Reduces pains at lower back and hips

Prevents stretch marks on the abdomen

Indications for use:

period

provides comfort during use.

Maternity Supports / Abdominal Supports



Indications for use: Maternity bandage is specifically designed for expectant mothers to support the abdomen and pelvic organs in physiological rest position, favoring the normal position of the fetus. It helps alleviate discomfort and lower back pain due to pregnancy, unloading the lumbar spine. Wearing this bandage reduces the risk of excessive uterine activity, decreases stretching forcers in the skin and amount of abdominal striae. The bandage is particularly helpful in cases of multiple gestation and polyhydramnios. Women with a history of previous spine traumas or disorders before pregnancy will also benefit while wearing the bandage.



ABDOMINAL BINDER ADJUSTABLE

Indications for use: surgeries.

Dimensions

Waist circumference,





Dimensions			Si	zes			Max	Colour
Dimensions	S	М	L	XL	XXL	XXXL	deviation	coloui
Hip	89-	98-	107-	116-	125-	135-	± 1,0 cm	
circumference, cm	97	106	115	124	134	144	± ±,0 CIII	beige

Helps to maintain correct posture and active lifestyle during pregnancy





MATERNITY BACK SUPPORT FACILITATED WITH 4 STAYS

Breathable light brace material (net fabric) ensures maximum comfort

	Sizes		Max	Colour
XS/S	M/L	XL/XXL	deviation	coloui
80-97	98-115	116-134	± 1,0 cm	beige

Early mobilization after operations on abdomen, including caesarean section. Prevention of ventral postoperative hernias (muscle weakness, large incisions etc). To prevent incarceration of postoperative reducible hernia. Prevention of epigastrocele. Prevention of umbilical hernia. Postpartum abdominal support after normal labor. Splanchnoptosis or nephroptosis (as a supporting bandage). Stages III-IV of obesity (for abdomen lifting and silhouette improvement for aesthetic purpose). Rehabilitation after anterior abdominal wall liposuction. After plastic

• Simulates body contours well and is imperceptible under the clothes Breathable light bandage material provides maximum comfort

		Sizes		Max	
	S/M	L/XL	XXL/ XXXL	deviation	Colour
e, cm	60-80	80-100	100-120	± 1,0 cm	beige



Abdominal Supports





UNIVERSAL SUPPORT

ABDOMINAL BINDER

Indications for use:

surgeries.

Indications for use:

Can be used as postsurgical and postnatal support. For its fixation the bandage is furnished with Velcro fastener and original kink coating. Is recommended to get on the support lying on the back. Can be used as heating back support. In this case you need to put it on with fastener directed to the back.

- The dense front wall provides reliable abdomen support at post surgery and post natal stage
- Serves to form strong post-surgical cicatrix and prevents postoperative abdominal hernia rise
- Breathable light fabrics of the bandage ensures maximal comfort during use

		Siz	Max			
Dimensions	XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
Waist circumference, cm	50-70	71-90	91-110	111-130	± 1,0 cm	beige

Early mobilization after operations on abdomen, including caesarean

section. Prevention of ventral postoperative hernias (muscle weakness,

large incisions etc). To prevent incarceration of postoperative reducible

hernia. Prevention of epigastrocele. Prevention of umbilical hernia.

Postpartum abdominal support after normal labor. Splanchnoptosis,

nephroptosis (as a supporting bandage). Stages III-IV of obesity (for

abdomen lifting and silhouette improvement for aesthetic purpose).

Rehabilitation after anterior abdominal wall liposuction. After plastic

• Simulates body contours well and is imperceptible under the clothes

Breathable light bandage material provides maximum comfort

Thigh Supports



ELONGATE

Indications for use: The shorts are used for external fixation and dosing muscle compression in the hips and buttocks region; the shorts improve blood circulation, stimulate metabolic processes in the underlying tissues, skin and subcutaneous adipose tissue of thigh and abdomen. Prevention and treatment of cellulite and dilated subcutaneous capillaries. The shorts can be used as a part of multimodality weight loss treatment to reduce the thickness of subcutaneous adipose tissue of thigh, buttocks and abdomen.

- Creates local "sauna effect"



Dimensions		Sizes		Max	Colou
Dimensions	S	М	L	deviation	Colou
Waist circumference, cm	60-80	81-100	101-120	± 1,0 cm	beige





Dimensions

Hip circumference, cm



THIGH SUPPORT (TROUSERS) WARMING

Neoprene keeps warmth providing warming effect and micro-massage

	S	Max	Colour		
S	M L XL			deviation	Coloui
89-97	98-106	107-115	116-124	± 1,0 cm	black/blue

THIGH SUPPORT (TROUSERS) WARMING

Indications for use:

The shorts are used for external fixation and dosing muscle compression in the hips and buttocks region; the shorts improve blood circulation, stimulate metabolic processes in the underlying tissues, skin and subcutaneous adipose tissue of thigh and abdomen. Prevention and treatment of cellulite and dilated subcutaneous capillaries. The shorts can be used as a part of multimodality weight loss treatment to reduce the thickness of subcutaneous adipose tissue of thigh, buttocks and abdomen.

 Neoprene keeps warmth providing warming effect and micro-massage Creates local "sauna effect"

 During sports activities shorts stimulate intensive muscle exercising due to elasticity and resistance of their material

	S	Мах	Colour		
S	М	L	XL	deviation	Coloui
89-97	98-106	107-115	116-124	± 1,0 cm	black/blue



Hernia Supports





HERNIA BANDAGE DOUBLE-SIDE)
----------------------------	---

Indications for use:

Preventive care to eliminate hernia complications and hernia recurrence at post surgical stage for hernia relapse prevention. Trusses can be used to stop further hernia increase while weight lifting. The bandage is equipped with removable pelot (insert); It can be installed in left-sided or right-sided position depending on localization of hernia. The truss is made of flexible belt and has an additional strap, which lets adjust the pressure level of the pelot (insert) onto hernia area. Is recommended to get on lying on the back, onto reduced hernia only.

- Preventive care to eliminate inguinal and femoral hernia complications
- Provides targeted compression onto affected area
- Efficient prevention of hernia relapse in postsurgical period

	Dimensions		Sizes		Max	Colour
	Dimensions	XS/S	M/L	XL/XXL	deviation	coloui
Y	Hip circumference, cm	78-95	96-116	117-134	± 1,0 cm	beige



Dimensions

Waist circumference, cm



HERNIA BANDAGE UNIFIED

Indications for use:

Preventive care to eliminate hernia complications and hernia recurrence at post surgical stage for hernia relapse prevention. Trusses can be used to prevention of hernia increase while weight lifting. The bandage is equipped with two removable pelots (inserts). They can be installed in left-sided or right-sided position depending on localization of hernia. The truss is made of flexible belt and has an

additional strap, which lets adjust the pressure level of the pelot (insert) onto hernia area. Is recommended to get on lying on the back, on reduced hernia only

- Preventive care to eliminate inguinal and femoral hernia complications Provides targeted compression onto affected area
- Sizes Max **Dimensions** Colour deviation XS/S M/L XL/XXL Hip circumference, 80-97 98-115 116-134 ± 1,0 cm cm

beige





Dimensions

•

Knee circumference, cm

BANDAGE FOR UMBILICAL HERNIA

Indications for use: hernia only.



Hernia Supports / Lower Extremity Supports

Preventive care to eliminate hernia complications and hernia recurrence at post surgical stage for hernia relapse prevention. Trusses can be used to prevention of hernia increase while weight lifting. The bandage is equipped with two removable pelots (inserts); They can be installed in left-sided or right-sided position depending on localization of hernia. The truss is made of flexible belt and has an

additional strap, which lets adjust the pressure level of the pelot (insert) onto hernia area. Is recommended to get on lying on the back, on reduced

 Provides targeted compression onto affected area Removable pad for reliable hernia support

	Siz	Max			
XS/S	M/L	XL/XXL	XXXL/ XXXXL	deviation	Colour
50-70	71-90	91-110	111-130	± 1,0 cm	beige

KNEE JOINT SUPPORT ELASTIC

Indications for use:

Can be used in cases of knee joint traumas, sprain of ligaments, arthritis, arthrosis, during rehabilitation after plaster cast. Also used for prevention of common dislocations and traumas while physical exercises.

 Provides soft and reliable fixation and compression of knee joint Breathable fabric stretches in four directions for comfortable use Fits for left or right leg

0	0								
			zes	M		de	Max eviation	(Colour
S 28-3	N		L -45	XL 46–5	XXL 52–57		: 1,0 cm		beige
									-

Lower Extremity Supports





KNEE SUPPORT ADJUSTABLE

Indications for use:

Inflammatory and degenerative diseases of the knee joint (initial stages of arthritis, synovitis, periarticular edema, bursitis or arthrosis), if warming knee support is not contraindicated. Prevention of knee and/or knee cap trauma during participation in sports and physical activities. Chronic instability of the knee cap (recurrent subluxation). Injuries and ligamentous laxity of the knee joint in subacute phase or midterm and late rehabilitation after removing a plaster cast.

- Breathable neoprene (aeroprene) features unique property to keep warmth not interfering with skin functions (protection, thermoregulation etc)
- Separable design makes it easy to put the bandage onto the knee

Dimensions	Sizes S/L	Max deviation	Colour
Knee circumference, cm	34-46	± 1,0 cm	black

Lower Extremity Supports

KNEE JOINT SUPPORT WITH PATELLA PAD

Indications for use: The bandage provides moderate fixation with soft compression of the knee joint, reducing lateral static exercise while standing or high-impact walking. Pain syndrome is relieved by knee joint fixation and unloading action of the bandage. Both warm retention and micro-massage effect improve blood circulation in soft tissues. Compression effect relieves pain and reduces edema.

Dimension Knee circumferend



KNEE SUPPORT FIXATIVE

Indications for use:

Inflammatory and degenerative diseases of the knee joint (initial stages of arthritis, synovitis, periarticular edema, bursitis or arthrosis), if warming knee support is not contraindicated. Prevention of knee and/or knee cap trauma during participation in sports and physical activities. Chronic instability of the knee cap (recurrent subluxation). Injuries and ligamentous laxity of the knee joint in subacute phase or midterm and late rehabilitation after removing a plaster cast.

- Separable design makes it easy to put the bandage onto the knee
- In case of the knee joint swelling and severe deformity the bandage is put easy onto it
- An aperture and elastic pad-ring restrict mobility of the knee cap

Dimensions	Sizes S/XL	Max deviation	Colour
Knee circumference, cm	34–50	± 1,0 cm	black





Indications for use:

directly on underwear.

- - action

Dimensions

Knee circumferend





 Provides soft and reliable fixation and compression of knee joint Abates pain due to warming and micromassage action Split construction ensures easy wearing of support The support is furnished with Velcro closure for fixation

Fixative belts ensure additional joint stabilization

S	Sizes XS/XL	Max deviation	Colour
ice, cm	28-45	± 1,0 cm	beige

KNEE JOINT SPLIT SUPPORT

Posture brace with steel stiffeners corrects poor posture, abates pain at the upper area of spine caused by kyphosis, scoliosis, osteoporosis or arthritis, prevents vertebral deformity.

Used at the rehabilitation stage after surgery and thoracic traumas. Elastic straps fix shoulders in correct position. Metal stiffeners improve posture and help to hold spine straight. Is recommended to wear the support

 Provides soft and reliable fixation and compression of knee joint Abates pain and reduces edema due to warming and micromassage

Split construction ensures easy wearing of support

-			Sizes				I	Max	6.	lour
S	S/	Μ	L/XL		XX	L	dev	viation	CO	lour
ce, cm	28-	-39	40-51	-	52-57		± .	1,0 cm	t	beige



Lower Extremity Supports



KNEE JOINT SUPPORT WITH STAYS

Indications for use:

Provides soft fixation and compression of the knee-joint in cases of traumas, sprain of ligaments, joint

pains caused by arthritis, sinusitis, and bursitis. The support provides reliable support of lateral ligaments and meniscus. Also can be used for habitual dislocation prevention and traumas prevention during sports exercises.

- Abates pain due to warming and micromassage action
- The aperture and resilient torus limit mobility and defend the patella
- Four stiffening ribs ensure additional joint stabilization
- Fits for left or right leg

Dimensions			Sizes			Max	Colour
Dimensions	S	М	L	XL	XXL	deviation	Coloui
Knee circumference, cm	28-33	34-39	40-45	46-51	52-57	± 1,0 cm	beige

Lower Extremity Supports



KNEE IMMOBILIZER WITH RIBS AND INTENSIVE FIXATION (THE TUTOR)

Indications for use:

- an angle of 20°

Dimensions	
oduct heigth, c	

Knee circumferen

Art. No. 6112

KNEE IMMOBILIZER WITH RIBS AND INTENSIVE FIXATION (THE TUTOR)

Indications for use:

The knee tutor provides rigid fixation of the joint with takeover of lower third of the hip and upper third of the shank, this excludes ability to move the knee. Is used at arthrosis, with arthritis presentations, including rheumatoid and podagric, prophylaxis of patalogic placing of the lower extremity during moderate valgus or varus shank angulation. Is used as a splint during transport immobilization, when present plaster allergy, traumas of capsular and ligamentous system of the knee-joint with different degree of difficulty, undisplaced fractures of shin-bone intercondylar eminence, moderate expressed instability of knee-joint, including paralytic origin.

Simulated Metallic Ribs	
Metallic Ribs	

Dimensions		Sizes		Max	Colour
Dimensions	S	M/L	XL/XXL	deviation	Colour
Product heigth, cm	40	50 60		± 1,0 cm	
Knee circumference, cm	28-45	34-57		± 1,0 cm	beige





Indications for use:

joint traumas and operations.

over band dressings





Immobilization of knee joint at the early stages of rehabilitation after traumas and operations on the joint, and also in the lower third of the hip and the upper third of the leg. Immobilization of knee joint in transportation. Apparent knee instability. Unfixed knee deformations (valgus and varus deviations, genu recurvation). Patella (rotula) traumas. Meniscus injuries.

Side and back metallic splints provides immobilization of knee joint at

• Split design makes the bandage putting on easier

Soft fabric of the cuffs is comfortable and it does not provoke any allergic reactions and skin irritations

		Sizes		Мах	Colour	
5	S	M/L	XL/XXL	deviation	Colour	
cm	35	45	55	± 1,0 cm		
e, cm	28-45	34	-57	± 1,0 cm	beige	

POST-OPERATIVE KNEE SUPPORT (WITH HINGE)

Knee joint injuries. Sprains and crucial ligaments of knee joint. Knee joint pains (patellafemoral pain syndrome). Inflammatory and degenerative diseases (arthritis, synovitis, periarticular edemas and arthtosis), if warm effect is not contraindicated. Chronic, postoperative and posttraumatic tenontitis.

Patella diseases (chondromalacia patellae). Rehabilitation after knee

Knee joint traumas and inflammations prevention in event of physical activitys prevention during sports activities and physical labour.

Split design lightens orthosis putting on in event of joint edema and

-	Siz	zes	Max	Calaur	
IS	S/M	L/XL	deviation	Colour	
ice, cm	34-42	43-50	± 1,0 cm	black	



Lower Extremity Supports





POST OPERATIVE KNEE BRACE (WITH HINGE)

Indications for use:

Fixation after postoperative treatment of knee joint diseases and traumas. Rupture of one or both cruciate ligaments. Apparent knee instability. Combined knee joint traumas. Valgus and varus deviations of knee joint. Knee joint contracture Genu recurvation. treatment. Extreme sport activities.

- Light firm aluminum frame fixes knee joint strongly
- Side pad-holders provide close connection of orthosis with medial and lateral condyles on the inner hinge surfaces
- 4 straps manufactured of synthetic nubuck with Velcro fasteners fix the orthosis firmly on knee joint
- 2 separate-adjusted hinges provide necessary range of motion in knee joint



Lower Extremity Supports



(WITH HINGE)

Indications for use: Stage-by-stage remedial treatment with gradual increasing of motion range in knee joint after traumas, injuries and recovery surgical operations. Knee joint fixation after meniscus injuries. Extremity fixation in event of knee joint collateral ligament injuries and ruptures. Chronic joint instability (insufficiency of ligamentous function). Rehabilitation after sport traumas.

Dimension
Knee circumferen



POST OPERATIVE KNEE BRACE (WITH HINGE)

Indications for use:

Stage-by-stage remedial treatment with gradual increasing of motion range in knee joint after traumas, injuries and recovery surgical operations. Knee joint fixation after meniscus injuries. Extremity fixation in event of knee joint collateral ligament injuries and ruptures. Chronic joint instability (insufficiency of ligamentous function). Rehabilitation after sport traumas.

- loint immobilization at a certain angle
- Split design lightens orthosis putting on and off
- The hinge's design provides adjustment of flexion and extension angles
- Cuffs are manufactured of soft covering, nice to the touch

Dimensions	Sizes S/XL	Max deviation	Colour
Leg circumference in the upper thigh, cm	42-68	± 1,0 cm	beige





Dimensions

Knee circumference, cm



LIGHTWEIGHT POST OPERATIVE KNEE BRACE

 Pullout splints with hinges allow to put the orthosis on the leg from ankle to the area of inguinal fold – across the inner leg surface; from the outside - to the area of hip joint. Length of the splints can be adjustable within 52-72 cm with 2.5 cm step

Fixing straps provide adjustment of fit degree of the orthosis to your skin and the degree of muscle compression

S	Sizes S/L	Max deviation	Colour
ce, cm	42-62	± 1,0 cm	black

HINGED STABILIZING KNEE BRACE

Indications for use:

Pains in joint in event of traumas and diseases. Meniscus injuries. Both chronic and rheumatic arthrosis and arthritis. Lateral and cruciate ligament ruptures. Conservative treatment of joint contractures. Chronic joint instability (hypermobility in event of insufficiency of ligamentous function). Postoperative rehabilitation, including endoscopic ones, with gradual distension of motion range. Repeated sport traumas during rehabilitation period.

• Flexion angle adjustment allows to use the orthosis at all stages of treatment and rehabilitation, gradually increasing the range of motion Modern monocentric hinges, suitable for setting flexion and extension angles in the joint for effective application at all stages of treatment and rehabilitation

	S	Max	Colour		
S	М	L	XL	deviation	Colour
34-38	39-42	43-46	47-50	± 1,0 cm	black



Lower Extremity Supports



ANKLE SUPPORT WARMING

Indications for use:

Provides delicate fixation and compression of the talocrural joint. Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Provides delicate fixation and compression to the ankle joint
- Is comfortable for everyday use
- Abates pain due to warming and micromassage action
- Four metallic stiffeners provide additional stabilization of the joint





Indications for use:

- use

- Fits for left or right leg



Dimensions		Siz	es		Max	Colour
Dimensions	S	М	L	XL	deviation	Colour
Shoe size	35-37	38-40	41-43	44-46	± 0,5	beige





circumference, cm

Dimensions



ANKLE SUPPORT ADJUSTABLE

Indications for use:

Pain affecting the ankle joint caused by trauma or injury and different ankle disorders. Limited range of motion caused by trauma or injury and ligamentous laxity of the ankle joint. Chronic traumatic and postoperative tendon inflammation. Late rehabilitation after ankle joint operation including region of the heel. Prevention of ankle ligamentous laxity and Inflammatory disorders at all levels of sport and physical activities.

- Breathable neoprene (aeroprene) features unique property to keep warmth not interfering with skin functions (protection, thermoregulation etc)
- Separable design makes it easy to put the bandage onto the ankle joint
- Velcro fasteners help to adjust strength of the joint fixation

	Dimensions	
- Jule	Ankle-joint	
	circumference cm	

Dimensions	Sizes S/L	Max deviation	Colour
Ankle-joint circumference, cm	16-31	± 1,0 cm	black beige





Dimensions

Ankle-joint circumference, cm



ANKLE SUPPORT ELASTIC (AEROPRENE)

Provides delicate fixation and compression of the talocrural joint. Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

• Provides delicate fixation and compression to the talocrural joint Anatomical shape with open heel is more comfortable for everyday

Abates pain due to warming and micromassage action Plastic latches ensure additional joint stabilization

	Siz	Max	Colour		
S	М	L	XL	deviation	Coloui
15-20	21-26	27-32	33-38	± 1,0 cm	beige

ANKLE SUPPORT WITH STRAP

Indications for use:

Trauma of the ankle joint. Ligamentous laxity of the ankle joint. Chronic arthritis and initial stages of arthrosis. Late rehabilitation after a plaster cast is removed. Prevention of habitual dislocation or trauma caused by

• The anatomically shaped bandage fits well for everyday usage Breathable material ensures maximal comfort Elastic strap provides additional lateral fixation of the joint • Fits for left or right leg

S	Siz M	es L	XL	Max deviation	Colour
15-20	21-26	27-32	33-38	± 1,0 cm	beige



Lower Extremity Supports



ANKLE SUPPORT WITH RIBS AND ADDITIONAL FIXATION

Indications for use:

Provides delicate fixation and compression of the talocrural joint. Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Provides delicate fixation and compression to the talocrural joint
- Anatomical shape with open heel is more comfortable for everyday use
- Abates pain due to warming and micromassage action
- Metallic stiffeners provide additional stabilization of the joint
- Elastic strap provides additional lateral fixation of the joint



Dimensions	Sizes				Max	Colour	
Dimensions	S	М	L	XL	deviation	coloui	
Ankle-joint circumference, cm	16-21	21-26	26-31	31-36	± 1,0 cm	beige	

Lower Extremity Supports

ANKLE SUPPORT LIGHT FIXATION

Indications for use: Use to cure traumas of the joint, arthrosis, arthritis, sprain of ligaments, at rehabilitation stage after plaster dressing removal. Also can be used to prevent habitual dislocation or traumas during sport exercises.

- Fits for left or right leg



Dimensions

Ankle-ioint circumfe cm



ADJUSTABLE ANKLE SUPPORT

Indications for use:

Partial injury of ankle joint ligaments. Ankle joint inflammatory diseases. Ankle joint injuries. Prevention from ankle joint injuries in event of excessive physical and sport activities.

- The bandage is manufactured of aeroprene, a material with marked warming effect
- Figure-of-eight band provides stabilizing of joint and minimizing lateral motion
- Aeroprene is heightened durable and causes no allergic reactions ٠
- Fits for left or right leg

Aeroprene)

Dimensions	Sizes S/L	Max deviation	Colour
Ankle-joint circumference, cm	16-31	± 1,0 cm	black beige



Dimensions

Ankle-joint circumfe cm



 Provides delicate fixation and compression of the talocrural joint Anatomical shape with open heel is more comfortable for everyday

Breathable elastic fabric provides more comfort during use

		Sizes		Max	Colour		
•	М	L	XL	deviation	Colour		
erence,	21-26	27-32	33-38	± 1,0 cm	black beige		

ANKLE SUPPORT ELASTIC (MEDIUM FIXATION)

Trauma of the ankle joint. Ligamentous laxity of the ankle joint. Chronic arthritis and initial stages of arthrosis. Late rehabilitation after a plaster cast is removed. Prevention of habitual dislocation or trauma caused by

• The anatomically shaped bandage fits well for everyday usage Breathable material ensures maximal comfort

	S	Siz M	zes L	XL	Max deviation	Colour
erence,	15-20	21-26	27-32	33-38	± 1,0 cm	beige



Lower Extremity Supports





DEROTATION BOOT

Fractures of femoral neck and trochanteric area. Rehabilitation after hip replacement. Lower extremities paresis and paralysis of different genesis. Rehabilitation after strokes and nerve focal lesions of lower extremities.

- Light splint can be made in accordance to anatomic body peculiarities
- Absolute split design makes putting the orthosis on easy
- Lateral straps provide adjustment of foot flexion angle and ensure its correct position
- Additional elastic bands fix the shank firmly and prevent from displacement when walking
- Fits for left or right leg

Dimensions	Sizes S/XL	Max deviation	Colour	
Shoe size	35-46	± 0,5	black	

Lower Extremity Supports

THIGH SUPPORT (ELASTIC)

Indications for use:

- Fits for left or right leg



Dimensions

Leg circumference upper thigh, cm





SHORT WALKER WITH FIXED ANKLE

Indications for use:

Foot paralyses and paresis. Postoperative and non-surgical treatment of splint bone fractures, tarsus and metatarsus fractures. Early rehabilitation and plaster cast change after operations on ankle joint and heel. Rehabilitation after fractures of foot bone and the lower third of the shank.

- Cuffs are fixed on shank and foot with the help of Velcro fasteners
- Splints are fastened onto the cuffs with the help of fastener and are additionally fixed with Velcro fasteners
- Straps provide adjustment of fit degree of the orthosis to your skin and also how strong it presses on your muscles
- Rift-shoe-type sole provides almost normal step

Dimensions		Siz	es		Max Colour	
Dimensions	S	М	ι	XL	deviation	coloui
Shoe size	35-37	38-40	41-43	44-46	± 0,5	black





Dimensio Leg circumference upper thigh, o



Hip muscles traumas (particularly spasms, sprains, ruptures). Preventions from hip muscles traumas in event of high loads (for instance, sport activities). Prevention from repeated hip muscles traumas.

• Being enough elastic, the bandage provides correct pressure Correct selvage rang closing prevents from skin chafing • Anatomical shape provides easy choice to match your size

		Siz	es	Мах	Colour	
•	S	М	L	XL	deviation	Coloui
in the m	42-49	48-56	53-62	58-68	± 1,0 cm	beige

THIGH SUPPORT WARMING

Indications for use:

Hip muscles traumas (particularly spasms, sprains, ruptures). Repeated traumas prevention. Hip muscles injuries. Preventions from hip muscles traumas in event of high loads (for instance, sport activities). Prevention from repeated hip muscles traumas.

 Splint design makes putting on easy and provides adjustment of the pressure on muscle groups

• Upper side of the fabric is made as additional part - Velcro fastener which makes fastening easy

 Partial aeroprene layer stacking also allows out of necessity to warm a certain hip part

• Fits for left or right leg

ns	Sizes S/XL	Max deviation	Colour
e in the cm	42-68	± 1,0 cm	black beige



Lower Extremity Supports



medpack

SWISS GROUP



THIGH SUPPORT (HIP STABILIZER) ELASTIC WITH STAY

Indications for use:

Medium- and late-term rehabilitation after reconstructive hip joint operations (endoprosthesis replacement, arthroplasty, etc.). Medium- and late-term rehabilitation after solitary (marginal direct, avulsion, incomplete) fractures of greater trochanter (in consultation with your doctor in charge). Impacted femoral neck fractures, including patients of a certain age. Degenerative-dystrophic changes in hip joint (simple femoral neck necrosis, cystic displacement, coxarthrosis, etc.). Arthropathia. Muscularligamentous apparatus injuries, set bone, including cases in sport activities.

 Elastic strap and additional Velcro-fastened bands provide optimal fit on the body

Dimensions	Sizes			Max	Colour	
Dimensions	XS/S	M/L	XL/XXL	deviation	Coloui	
Hips circumference, cm	80-97	98-115	116-134	± 1,0 cm	beige	

Lower Extremity Supports

SHIN SUPPORT WARMING

Indications for use: Sural traumas (particularly spasms, sprains, ruptures). Repeated traumas prevention. Shank muscles injuries. Preventions from shank muscles traumas in event of high loads (for instance, sport activities).

- pressure on muscle groups
- a certain hip part
- Fits for left or right leg

Dimensions Shin circumferer

in widest part, c



SHIN BRACE ELASTIC

Indications for use:

Shank and sura muscles traumas (particularly spasms, sprains, ruptures). Preventions from shank muscles traumas in event of high loads (for instance, sport activities). Repeated shank muscles traumas. Shank injuries.

- Light splint can be made in accordance to anatomic body peculiarities
- Absolute split design makes putting the orthosis on easy
- Lateral straps provide adjustment of foot flexion angle and ensure its correct position
- Additional elastic bands fix the shank firmly and prevent from displacement when walking
- Fits for left or right leg

Cotton Thread	

Dimensions		Siz	es	Max	Colour		
Dimensions	S	М	L	XL	deviation	coloui	
Shin circumference in widest part, cm	32-36	36-40	40-44	44-48	± 1,0 cm	beige	



Dimensions

Shoe size



• Splint design makes putting on easy and provides adjustment of the

Upper side of the fabric is made as additional part - Velcro fastener which makes fastening easy

Partial aeroprene layer stacking also allows out of necessity to warm

Additional elastic Velcro-fastened bands provide close fit

S	Sizes S/XL	Max deviation	Colour
nce cm	32-48	± 1,0 cm	black beige

HALLUX VALGUS NIGHT SUPPORT

Indications for use:

Conservative and postoperative treatment of hallus valgus and bunion. Prevention of possible arthrosis. Fixation of hallus for initial stage of hallus valgus and after operations for hallus valgus. It is recommended to use with partitions in the interdigital spaces.

• Fixes right position of the hallus

Reduces size and rate of the deformity development

- The anatomically shaped bandage fits well for everyday usage
- Breathable material ensures maximal comfort
- Fits for left or right leg

Siz	es.	Max	Colour
S/M	L/XL	deviation	coloui
35-40	41-46	± 0,5	beige



Upper Extremity Supports

MEDICAL BANDAGES AND SUPPORTS

Lower Extremity Supports / Upper Extremity Supports



HALLUX SUPPORT

Indications for use:

Initial and medium degrees of non-fixed Hallux valgus (great toes anteversion) for returning halluxes in normal position. Rehabilitation after Hallux valgus operation. Deformations of great toe joint. Dormalization of ligamentous tone and foot muscles.

- Cuffs fix forefoot firmly
- Bands` design provides self-regulation of hallux`s position

Sizes

S/M

35-40

Additional fixation of the hallus prevents from joint deformation and scissor toes

L/XL

41-46

Max

deviation

± 0,5

Colour

• Fits for left or right leg

Dimensions

Shoe size



SHOULDER WRAP FIXATIVE (DESAULT'S BANDAGE)

Indications for use: The wrap provides fixation of upper extremity in functionally profitable position, unloading of upper extremity joints. Is used at shoulder and forearm injuries, injuries and ruptures of shoulder joint ligaments, clavicular-acromial joint and the elbow joints; rehabilitation after fracture of bones of superior extremity girdle and surgery of upper extremity; arthritis, arthrosis of upper extremity joints, scapulohumeral periarthritis, paralyses, paresis, plexitis, upper extremity neuritis.

of upper extremity

Dimensions

Chest circumferer on the scapulas leve



SHOULDER WRAP WITH ADDITIONAL FIXATION

Indications for use:

The wrap is intended for reliable fixation of upper extremity. Is efficient during rehabilitation period after surgery and traumas, arthritis, arthrosis of the shoulder joint. The wrap is furnished with velcro fastener for its fixation.

- Retains warmth, improves blood circulation of the shoulder
- Promotes increasing of oxygen content in the tissues
- Stimulates recovery process in muscles and ligaments
- Additional strap provides superb stabilization and comfort to the arm
- Fits for both left or right arm



Dimensione	Sizes		Max	Colour	
Dimensions	S/M	L/XXL	deviation	Colour	
Chest circumference on the scapulas level, cm	64-89	90-130	± 1,0 cm	beige black	





Forearm length

Dimensions



The wrap provides reliable fixation of upper extremity

Has a muff for forearm with two straps and belt to regulate fixation

	Sizes		Max	Colour		
	XS	S/M	L/XXL	deviation	Colour	
nce el, cm	51-63	64-89	90-130	± 1,0 cm	beige	

ARM SUPPORT CUSHION

Indications for use:

Immobilization in event of osseous structures injuries, traumas of tendon-ligamentous apparatus of shoulder joint and shoulder soft tissues (for example, after biceps tendon injuries and shoulder posterior dislocation reset). Postoperative necessity of humeral bone and shoulder joint immobilization at a certain angle. Supraspinatus syndrome, chronic bursitis and other inflammatory and degenerative shoulder-girdle diseases.

• The support ensures strong fixation

 Abduction pad at the waist level unweights the upper extremity Simple fast<mark>ener system</mark>

The support fixes arm with bended forearm and shoulder in internal rotation position and abduction on 30 degrees

	Siz	es.	Max	Colour	
5	S/M	L/XL	deviation	Colour	
, CM	21-33	34-47	± 1,0 cm	black	



Upper Extremity Supports



ELBOW SUPPORT ELASTIC

Indications for use:

Can be used for trauma, sprain, arthrosis and arthritis, while rehabilitation after plaster cast. Supports also used for prevention of common dislocations and traumas while physical exercises.

- Provides compression and fixation of the joint
- Breathable fabric stretches in four directions for more comfortable usage
- Fits for both left or right arm

Upper Extremity Supports

ELBOW BRACE

Indications for use: Treatment and prevention of lateral ("tennis elbow") and medial ("golf elbow") epicondylitis. Job rotary strains on the upper extremities. Sports activities traumas prevention (tennis, golf).

- Excellent fixation



Dimensions		Siz	es	Max	Colour	
Dimensions	S	М	L	XL	deviation	Coloui
Elbow circumference, cm	23-26	27-31	32-36	37-43	± 1,0 cm	beige



Dimensions

Elbow circumference, cm



ELBOW BRACE

Indications for use:

Traumas, injuries, sprain of elbow joint ligaments. Prevention from development and exacerbation of inflammatory elbow joint diseases (arthritis, tendinitis, tendovaginitis). Pain syndrome by chronic degenerative elbow joint diseases (arthrosis and osteoarthrosis). Injuries prevention during sports activities, and job strain on the joint.

- Elbow joint support is manufactured by the product's correct fit technology for people with different anatomic peculiarities of joint elbow.
- The lower part of forearm support is additionally fixed with Velcrofastenered band. This peculiarity prevents from slipping down and provides additional massage effect on the upper third of the forearm.

Aeroprene	(_

Dimensions	Sizes				Max	Col		
Dimensions	S	М	L	XL	XXL	deviation	Colour	
Elbow circumference, cm	21-24	24-27	27-30	30-33	33-36	± 1,0 cm	beige	b lack





Elbow circumference, cm

Dimensions



Simple design, comfortable for self-dependent wearing Fits for both left or right arm

Siz	es	Max	Colour	
S/M	L/XL	deviation	Coloui	
21-27	27-33	± 1,0 cm	beige black	

ROM ELBOW BRACE

Indications for use:

Incipient functional therapy in event of intra-articular fractures in elbow joint. Early and mid-range immobilization of elbow joint after endoprosthesis replacement. Conservative treatment of elbow joint luxations, epicondyles fracture of humeral distal part without displacement. Immobilization after elbow joint arthrolysis.

Joint immobilization under the certain angle

• Split design ensures easy putting on and off

Additional supporting straps provides comfortable wearing

 Hinge design lightens the degree of flexion and extension adjustment Cuffs are manufactured of the material with nice to the touch covering Each hinge is available with soft textile pad for snug fit of the orthosis to the joint and for comfortable wearing

	Siz	es	Max	Colour	
	S/M	L/XL	deviation		
٦	21-27	27-33	± 1,0 cm	black	



Upper Extremity Supports



WRIST WRAP LIGHT FIXATION

Indications for use:

Can be used for curing of radiocarpal joint traumas, sprain of ligaments, arthritis, arthrosis, synovitis, and bursitis during rehabilitation after plaster cast. Also can be used for traumas prevention during sports exercises.

Sizes

L/XL

20-27

Max

deviation

± 1,0 cm

Colour

Provides soft fixation and compression of radiocarpal joint

S/M

14-19

- Elastic loop for comfort during getting on
- Breathable light fabric for comfortable use
- Fits for both left or right arm



Upper Extremity Supports

Indications for use: Pain affecting wrist caused by trauma or injury and different wrist joint disorders. Limited range of motion caused by trauma or injury and by ligamentous laxity of the wrist joint. Chronic tendon inflammation. Condition after trauma and/or operation. Professional hazardous exposures on the wrist (vibration, rotation, lifting of weights). Trauma prevention at all levels of sport and physical activities.



Dimensio

Wrist circumferenc



WRIST WRAP ELASTIC

Indications for use:

Dimensions

Wrist

circumference, cm

Can be used for trauma, sprain, arthrosis and arthritis, while rehabilitation after plaster cast. Supports

also used for prevention of common dislocations and traumas while physical exercises.

- Provides soft fixation and compression for wrist joint
- Breathable fabrics stretches in four directions for more comfortable usage
- The anatomical shape is convenient for daily use
- Fits for both left or right arm



Dimensions		Siz	es	Мах	Colour		
Dimensions	S	М	L	XL	deviation	Colour	
Wrist circumference, cm	14-16	17-19	20-22	23-25	± 1,0 cm	beige	





Wrist

Dimensions

circumference, c



WRIST WRAP WITH STRAP

Breathable light material ensures maximal comfort Elastic strap provides additional fixation of the wrist joint Fits for both left or right arm

ons	Sizes S/L	Max deviation	Colour
ie, cm	14-23	± 1,0 cm	beige

WRIST WRAP ADJUSTABLE

Indications for use:

Pain affecting wrist caused by trauma or injury and different wrist joint disorders. Limited range of motion caused by trauma or injury and by ligamentous laxity of the wrist joint. Chronic tendon inflammation. Condition after trauma and/or operation. Professional hazardous exposures on the wrist (vibration, rotation, lifting of weights). Trauma prevention at all levels of sport and physical activities.

Breathable material (aeroprene) keeps warmth not interfering with skin functions (protection, thermoregulation etc), improves blood circulation and ensures maximal comfort

Elastic loop provides additional comfort when putting on • Fits for both left or right arm

;	Sizes S/XL	Max deviation	Colour
cm	14-27	± 1,0 cm	black beige



Upper Extremity Supports



WRIST WRAP WITH STAY

Indications for use:

Provides reliable fixation and compression of the radiocarpal joint. Abates pain due to warming and micromassage action. Wrap is used at wrist injuries, ligament sprains, arthrosis, arthritis, bursitis, synovitis, tendovaginitis and their exacerbationations, during rehabilitation stage after plaster dressing removal. Also can be used for habitual dislocation prevention and traumas prevention during sports exercises. For its fixation the bandage is furnished with Velcro fastener and original kink coating.

- Provides reliable fixation and compression of the radiocarpal joint
- The metallic stiffening plate and additional straps provide reliable stabilization of the joints
- Anatomic shape is comfortable for daily use

Dimensions	Siz	es	Max	Colour	
Dimensions	S/M	L/XL	deviation	Colour	
Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige	

Upper Extremity Supports

WRIST SPLINT

Indications for use: Immobilization and pain syndrome relief after wrist joint traumas and operations, wrist ligament and tendon injuries, fissures and fractures in the lower third of the forearm. Traumatic peripheral nerves neuropathy (particularly, repetitive stress injury and styloiditis), radial nerve paralyses and paresis in event of injury of the CNS. Inflammations of wrist joint and neighboring soft tissues (arthritis, tendovaginitis, myositis). Rheumatic wrist joint diseases. Posttraumatic and postoperative flexion hand contractures prevention. Wrist joint traumas prevention (sprains, ligamentous ruptures, injuries, etc.) by loading the joint. • The material is not allergenic and does not cause any skin reactions

and easy-to-use

Dimension Wrist circumference

WRIST WRAP WITH THUMB FIXATION

Indications for use:

Wrap is used at wrist or thumb joint injuries, ligament sprains, arthrosis, arthritis, bursitis, synovitis, at rehabilitation stage after plaster dressing removal. It is also used to prevent damages during sport exercises.

- Provides reliable fixation and compression of the radiocarpal joint and thumb joint
- Reduces pain and swelling due to warming and micro massage effect
- The metallic stiffening plate provides reliable stabilization of the joints
- Fits for both left or right arm

		Dimensions	Siz	es.	Max	Colour
Simulated Metallic Ribs	A A	Dimensions	S/M	L/XL	deviation	coloui
Aeroprene		Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige



Wrist circumference, o

abduction

rehabilitation

Dimension



The orthosis fits closely the joint, it is comfortable, hygienic, handy

	Siz	es	Max	Colour	
IS	S/M	L/XL	deviation		
, CM	14-19	20-27	± 1,0 cm	beige black	

WRIST / THUMB WRAP

Indications for use:

The first carpometacarpal and/or metacarpophalangeal joints fixation. Injuries, sprains, luxations of the first carpometacarpal and/ or metacarpophalangeal joints. Carpometacarpal joint of I finger laxity. Carpometacarpal joint of I finger (thumb joint) arthrosis, arthritis. Rehabilitation after operative measures on the first carpometacarpal and/or metacarpophalangeal joints. Prevention from repeated traumas of articular-ligamentous apparatus of the first carpometacarpal and/or metacarpophalangeal joints.

Specially designed detachable metallic splint provides I finger

Detachable splint provides step-by-step bandage use at all stages of

5	Siz	es	Max	Colour	
	S/M	L/XL	deviation		
cm	14-19	20-27	± 1,0 cm	beige black	



Upper Extremity Supports



WRIST / THUMB SPLINT

Indications for use:

The first carpometacarpal and/or metacarpophalangeal joints fixation. Injuries, sprains, luxations of wrist, the first carpometacarpal and/or metacarpophalangeal joints. Laxity of wrist, the first carpometacarpal and/or metacarpophalangeal joints of I finger. Arthrosis, arthritis of wrist, the first carpometacarpal and/or metacarpophalangeal joints of I finger (thumb joint). Ligamentous and tendinous injuries of wrist, carpometacarpal and the first metacarpophalangeal joints. Traumatic peripheral nerves neuropathy (particularly, repetitive stress injury and styloiditis), radial nerve paralyses and paresises in event of injury of the CNS. Rehabilitation after operative measures on the first carpometacarpal and/or metacarpophalangeal joints. Prevention from repeated traumas of articular-ligamentous apparatus of wrist, the first carpometacarpal and/or metacarpophalangeal joints.

	Dimensione	Siz	es	Max	Cold
A	Dimensions	S/M	L/XL	deviation	COIO
	Wrist circumference, cm	14-19	20-27	± 1,0 cm	beige



ARM SLING

Indications for use:

Rehabilitation after upper extremity subluxations, luxations and fractures. Rehabilitation after operations on elbow joint and forearm. Incomplete ligamentous lesions of shoulder, acromioclavicular and elbow joints. Arm support if both acute and chronic inflammatory joint diseases of upper extremity are observed. Upper extremity paresis and paralysis.

- Sleeve is manufactured of durable breathable fabric, shoulder and waist straps are made of soft durable band, providing comfortable wearing
- Shoulder strap design provides changing of its position relative to the sleeve, and adjustment of elbow angle
- Waist belt absence ensures gradual arm motion

Normoflex	
Normotiex	(

Dimensions		Siz	zes	Max	Colour		
Dimensions	S	М	L	XL	deviation	Colour	
Forearm length, cm	21-27	28-33	34-40	41-47	± 1,0 cm	beige	

Upper Extremity Supports / Elastic Bandages

ARM SLING FACILITATED

Indications for use: Arm fractures, ligament sprains, at postoperative stage.



MEDICAL ELASTIC BANDAGE WITH MEDIUM TENSILITY, 80 MM, 100 MM, 120 MM WIDTH

Indications for use: For prevention and curing of traumas and diseases of upper and lower extremities: varicose, chronic venous inflammation before and after surgery, prevents rise of trombophlebitis of superficial vein and trombosis of deep vein. Bandage can be used for preventing and curing traumas and diseases of joints (arthritis, arthrosis, ligamentous laxity), unloading of damaged joint. The bandage fixes, heats, decreases hypostasis, stops inflammation. Defends against traumas during sports exercises, hard phisical work, prolonged static load.

	Ø			Polyer Polyer	ster / Cotton Thread Latex Thread
Art.	Length	Width	Art.	Length	Width
02x80x1	lm	8 cm	02x100x1	1 m	10 cm
02x80x1,5	1,5 m	8 cm	02x100x1,5	1,5 m	10 cm
02x80x2	2 m	8 cm	02x100x2	2 m	10 cm
02x80x2,5	2,5 m	8 cm	02x100x2,5	2,5 m	10 cm
02x80x3	3 m	8 cm	02x100x3	3 m	10 cm
02x80x3,5	3,5 m	8 cm	02x100x3,5	3,5 m	10 cm
02x80x4	4 m	8 cm	02x100x4	4 m	10 cm
02x80x5	5 m	8 cm	02x100x5	5 m	10 cm
12x120x5	5 m	12 cm	02x100x10	10 m	10 cm



• Provides arm support and reduces pressure onto neck Additional strap provides superb stabilization of the arm Breathable fabric for comfortable use Fits for both left or right arm

Dimensions		Siz	zes	Max	Colour		
Dimensions	S	М	L	XL	deviation	Colour	
Forearm length, cm	21-27	28-33	34-40	41-47	± 1,0 cm	white black	

Support & Comfort



Supports For Children



CHILD SOFT FIXATION CERVICAL COLLAR

Indications for use:

Myogenic torticollis. Cervical muscle tone dysfunction. Cervical spine support in debilitated and premature infants. Birth trauma. Maintaining neck posture after massage or other treatment procedures. Scoliosis of the upper thoracic spine. Kyphosis of the thoracic spine (to maintain a correct posture).



Harness



WRIST HARNESS

Indications for use: Fixation of the upper extremities. Psychomotor agitation. During operations. Prevention of patient unsanctioned motion activity in intensive care units.

- blood vessels



21	Dimens
	Neck heig

Dimensions	Siz	es	Max	Colour	
Dimensions	I.	I II		coloui	
Neck height, cm	4	5	± 1,0 cm		
Neck circumference, cm	20-26		± 1,0 cm	beige	



Dimensior

Wrist circumference

PAVLIK HARNESS

Indications for use:

Hip joint dysplasia, pre-luxation, subluxation and luxation of femoral head.

- The product's design provides wearing over the clothes
- Strap tension can be adjusted depending on your baby's size
- If it is necessary you can cut off long strap ends
- Long-time wearing
- Comfort of hygienic manipulation



Dimensions	Sizes			Max	Colour
Dimensions	1	Ш	III	deviation	Colour
Chest circumference on the scapulas level, cm	25-35	36-46	47-57	± 1,0 cm	beige



ANKLE HARNESS

Indications for use:

- blood vessels

- Fits for both left or right leg

Dimensio

Ankle-joint circumfe



• Soft material prevents from compression of peripheral nerves and

• Wrist fixing straps fit to any types of beds

• Adjustible wrist fixing straps allow quick regulation of motion range and, if necessary, maximal reliable fixation

• Length of strops allows a wide range of patient movements

• Fits for both left or right arm

ns	Sizes S/XL	Max deviation	Colour
e, cm	14-27	± 1,0 cm	beige

Fixation of the lower extremities. Psychomotor agitation. During operations. Prevention of patient unsanctioned motion activity in intensive care units

• Soft material prevents from compression of peripheral nerves and

• Ankle fixing straps fit to any types of beds

• Adjustible ankle fixing straps allow quick regulation of motion range and, if necessary, maximal reliable fixation

• Length of strops allows a wide range of patient movements

ns	Sizes	Max	Colour	
	S/XL	deviation	coloui	
erence, cm	16-36	± 1,0 cm	beige	



M@C®

medtextile-swiss.com

MEDPACK SWISS GMBH IS A MEMBER OF MEDPACK SWISS GROUP, SWITZERLAND

EC REP MedPack Swiss GmbH SWITZERLAND

Tramstrasse 16, 9442, Berneck Tel +41 71 747 11 95 Fax +41 71 747 11 91 info@medpack-group.com medpack-group.com

Representations abroad Ukraine

Dolphi Ukraine Ltd Dnepropetrovsk, 24 A,Berezinskaya str. tel.: +380562316398 marketing@medpack-swiss.com

Latvia

SIA "Medhouse Baltic" Riga LV-1004 Bauskas str. 58A, tel.: +37129477100 office@medhouse.lv

Manufacturing Factories Bulgaria

Medtex Swiss Bulgaria Ltd 15 Konservna str., Gabrovo, Bulgaria 5300 Tel +359 887 203 787 info@medtex-swiss.ch www.medtex-swiss.ch

Romania

Medhouse Distribution Ltd Iasi 145, Pacurari str, bl.594 tel.: +40 232803353, mob.: +40 737214304 romania@medpack-swiss.com

Greece

Medhouse Swiss Greece Serres 62100 Papavasiliou 5B, tel.: +306947536213 info@medhouse-swiss.gr

Ukraine

Technomedica Llc. 24-A Berezinskaya Str., Dnipropetrovsk, Ukraine, 49130 Tel/Fax +38 056 378 99 56 info@med-textile.com

Bulgaria Medhouse Swiss Bulgaria Ltd. Sofia 102 Bulgaria Blvd., office 45 +359 886697729 sharkov@medhouse.bg

Kazakhstan MedHouse Kazakhstan Ltd Astana B. Maylin 4/1, office 25 tel.: +7(7172) 364880 office@medhouse.kz

Republic of Moldova

Delta-Medica Ltd. Kishinev 25-3 KhristoBoteva str. tel.: +37322560071 tel.: +37322779652 info@medpack-swiss.com

(F

REF MTP001EN







ISO 9001:2008 ISO 13485:2012 + AC:2012